

The Healthy Minds Study Codebook

About the Healthy Minds Study Data Sets

- **Background:** The Healthy Minds Study is a web-based survey study of college students' mental health and help-seeking behavior. The study was first developed in 2005 at the University of Michigan School of Public Health by Daniel Eisenberg, Ezra Golberstein, Sarah Gollust, and Jennifer Hefner. The survey has been administered by Survey Sciences Group, LLC (Ann Arbor, Michigan) from 2005-2013 and since then by the HMS research team at University of Michigan. The initial development of the study was funded by the University of Michigan and Blue Cross Blue Shield of Michigan Foundation. Subsequent years of the study have been funded by the participating colleges and universities, which receive data reports and data sets in return for a fee that covers the cost of participation. All colleges and universities are welcome to join the study in any year; more information is at www.healthymindsnetwork.org.
- **Study design:** At each participating campus, a random sample is selected from the full student population. At most campuses, this initial sample is 4,000 students, although it is obviously smaller at campuses with fewer than 4,000 students. In 2007 and 2009, students were invited via postal mail (with a \$2 incentive) as well as up to four email reminders linking to the survey. Since 2010 recruitment has been via email only. All students are informed that they are entered into a cash sweepstakes drawing, regardless of their participation.
- **Sample sizes and response rates:**

	2007	2009	2010	2011	2012	2013	2014	2014-2015
Number of schools	13	15	26	11	31	17	20	17
Number of students in initial sample	12,997	19,110	89,065	33,257	121,841	111,670	60,634	70,727
Overall participation rate	42.7	42.2	25.3	26.3	23.2	16.0	29.0	23.1
Range of school-level completion rates	32.6-59.3	26.7-50.1	3.03-49.1	10.7-45.5	8.2-44.3	1.6-43.2	6.0-38.0	15.0-42.0

- **Sample weights:** A potential concern in any survey study is that those who respond to the survey will not be fully representative of the population from which they are drawn. In this study, we can at least be confident that those who were invited to fill out the survey were representative of the full student population, because these students were randomly selected from the full list of currently enrolled students. But it is still possible that those who completed the survey were different in important ways from those who did not complete the survey. We address this issue by constructing non-response weights using administrative data on full student populations. Most schools are able to provide administrative data about all students who were randomly selected for the study. The analysis of these administrative data, separated from any identifying information, was approved in the IRB application at the University of Michigan and each participating school. We used the following variables, where available, to estimate which types of students were more or less likely to respond to the survey: gender (male, female), race/ethnicity (white, black, Hispanic, Asian, other), academic level (undergraduate, graduate), and grade point average (categorized into: missing or not applicable, 0.01-2.00, 2.01-2.50, 2.51-3.00, 3.01-3.30, 3.31-3.50, 3.51-3.70, 3.71-3.90, 3.91-4.30). In the national sample, overall, the largest differences in response rate are generally for: female students (higher than for male students); graduate students (higher than for undergraduates); and students with higher GPA (higher than for students with lower GPA). We used these variables to estimate the response propensity of each type of student (based on logistic multivariable regressions), and then assigned response propensity weights to each student who completed the survey. The less likely a type of student was to complete the survey, the larger the weight they received in the analysis, such that the weighted estimates are representative of the full student population in terms of the administrative variables available for each institution. Finally, note that these sample weights give equal aggregate weight to each school in the national estimates. An alternative would have been to assign weights in proportion to school size, but we decided that we did not want our overall national estimates to be dominated by schools in our sample with very large enrollments.
- **Protection of human subjects:** This study is approved by the University of Michigan Health Sciences Institutional Review Board (IRB), as well as the IRBs from all other participating institutions. Due to the sensitive nature of the data collected in this study, we have taken several precautions to protect the participants. Perhaps the two main concerns pertain to confidentiality and risk of harm to self or others. To address confidentiality, we have taken the following two measures, among others: first, the study was administered on a secure web site, with no confidential information transmitted by email; second, identifying information used to recruit subjects is always stored separately from any response data. Regarding risks of harm to self or others, the surveys close by thanking the participant and offering a list of both local and national mental health resources, such as the campus psychological counseling center and a national suicide prevention hotline (the exact list of resources was determined by the local study coordinator at each institution). Also, for students who indicate suicidal ideation or behavior in the previous year, the final page of the survey includes a special message encouraging the student to consider the list of resources carefully. In addition, each page of the web survey contains emergency contact numbers.

About the Healthy Minds Study Codebook

- All years=2007, 2009, 2010, 2011, 2012, 2013, 2014, 2014-2015
- Where used, validated screening tools (e.g., the Patient Health Questionnaire) are listed in the *Notes* column
- Acknowledgments: Sarah Ketchen Lipson and Gita Serpuja did much of the work to develop this codebook and format the data sets accordingly. There were also substantial contributions from Katie Beck, Daniel Eisenberg, and Steve Brunwasser.
- *Questions?* Contact the researchers at healthyminds@umich.edu.

Table of Contents

1. Basic survey variables
2. Demographics
3. Academics
4. Positive mental health
5. Depression and anxiety screen
6. Eating and body
7. Self-injurious behavior and suicide
8. Diagnosed mental illness
9. Knowledge and beliefs about mental health services
10. Stigma
11. Mental health service utilization
12. Informal help-seeking/support
13. Reasons for seeking or not seeking help
14. Insurance
15. Substance use
16. Other behaviors/lifestyle
17. Witnessing/experiencing negative things
18. Social media and online behavior

Variable name	Variable Type	Question text/ description	Response codes	Year(s) included	Notes
1. Basic survey variables					
respid	META	de-identified respondent ID	N/A	All years	
survey_year	META	year of participation	2007 2009 2010 2011 2012 2013 2014 2014-2015	All years	
schoolnumber	META	de-identified ID for each participating college/university	N/A	All years	
nrweight	META	non-response weight	N/A	All years	
2. Demographics					
age	SURVEY	How old are you?	1=18 2=19 3=20 4=21 5=22 6=23-25 7=26-30 8=31-35 9=36-40 10=41+	All years	(You must be 18 years or older to complete this survey)
gender	SURVEY	What gender are you?	1=Female 2=Male 3=Other	All years	In 2011, 2012, 2013, 2014 and 2014-2015, the questionnaire read: What is your gender? In 2011, 2013, 2014 and 2014-2015, the questionnaire response read: 3= Transgender
transgender	SURVEY	Please indicate which of the following best describes you.	1=Female to male 2=Male to female 3=Intersexed 4=Rather not say	2011 2012 2013 2014 2014-2015	Skip logic: If “gender” =3, the question is asked.
raceeth2	CALC	How do you usually describe your race and/or ethnicity?	1=White or Caucasian 2=African American/Black 3=Hispanic/Latino 4=American Indian/Alaskan Native 5=Arab/Middle Eastern or Arab American 6=Asian/Asian-American 7=Pacific Islander 8=Other	All years	Mutually exclusive race/ethnicity categories

			9= Not applicable		
race_full	SURVEY	How do you usually describe your race and/or ethnicity?	<p>1=White or Caucasian 2=African American/Black 3=Hispanic/Latino 4=American Indian/Alaskan Native 5=Arab/Middle Eastern or Arab American 6=Asian/Asian-American 7=Pacific Islander 8=Other 9= Not applicable</p>	All years	<p>(Select all that apply)</p> <p>In 2007 and 2009, the questionnaire responses read: 1=White or Caucasian, non-Hispanic, non-Arab 2=African American/Black, non-Hispanic</p> <p>In 2010, the questionnaire response did not include: 9=Not applicable</p> <p>In 2013, 2014 and 2014-2015, the questionnaire read: 9= Not applicable – I would prefer not to identify my race/ethnicity</p> <p>In 2014-2015, the questionnaire response read: 1=White/Caucasian 5= Arab/ Middle Eastern/Arab American</p>
race_whi	CALC	How do you usually describe your race and/or ethnicity?	<p>0=Not White or Caucasian 1=White or Caucasian</p>	All years	In 2007 and 2009, the questionnaire response read: White or Caucasian, non-Hispanic
race_bla	CALC	How do you usually describe your race and/or ethnicity?	<p>0=Not African American/Black 1=African American/Black</p>	All years	In 2007 and 2009, the questionnaire response read: African American/Black, non-Hispanic
race_his	CALC	How do you usually describe your race and/or ethnicity?	<p>0=Not Hispanic/Latino 1=Hispanic/Latino</p>	All years	
race_ame	CALC	How do you usually describe your race and/or ethnicity?	<p>0=Not American Indian/Alaskan Native 1=American Indian/Alaskan Native</p>	All years	
race_ara	CALC	How do you usually describe your race and/or ethnicity?	<p>0=Not Arab/Middle Eastern or Arab American 1=Arab/Middle Eastern or Arab American</p>	All years	
race_asi	CALC	How do you usually describe your race and/or ethnicity?	<p>0=Not Asian/Asian-American 1=Asian/Asian-American</p>	All years	
race_pac	CALC	How do you usually describe your race and/or ethnicity?	<p>0=Not Pacific Islander 1=Pacific Islander</p>	All years	

race_oth	CALC	How do you usually describe your race and/or ethnicity?	0=Not other race 1=Other	All years	
race_mis	CALC	How do you usually describe your race and/or ethnicity?	0=Not missing 1=Missing	All years	
intnat	SURVEY	Are you a US citizen or permanent resident?	0=U.S. citizen 1=International student	All years	In 2013 and 2014, the questionnaire response read: 1=Yes; 2=No In 2014-2015, the questionnaire response read: 0=No; 1= Yes If intnat=1, the question “What is your country of citizenship (passport country)?” is asked and multi select box with list of 149 countries appear with (150=other)
military_2011	SURVEY	Have you ever served in the U. S. Armed Forces, military Reserves, or National Guard?	1=Yes, currently training for Reserves, Reserve Officers’ Training Corps (ROTC) or National Guard 2=Yes, now on active duty 3=Yes, on active duty during the last 12 months, but not now 4= Yes, on active duty in the past, but not during the last 12 months 5=No, never served in the military	2011	
military	SURVEY	Have you ever served in the U.S. Armed Forces, military Reserves, or National Guard?	1=No, never served in the military 2=Yes, currently in Reserve Officers’ Training Corps (ROTC) 3=Yes, currently in military Reserves or National Guard 4=Yes, now on active duty 5=Yes, on active duty during the last 12 months, but not now 6=Yes, on active duty in the past, but not during the last 12 months	2012 2013 2014 2014-2015	
religios	SURVEY	How religious would you say you are?	1 =Very religious 2=Fairly religious 3=Not too religious 4=Not religious at all	All years	

sexual	SURVEY	How would you describe your sexual orientation?	1=Heterosexual 2=Bisexual 3=Gay/lesbian/queer 4=Questioning 5=Other	All years	In 2007 and 2009, the questionnaire response did not include: 4=Questioning
relship	SURVEY	How would you characterize your current relationship status?	1=Single 2=In a relationship 3=Married or domestic partnership 4=Divorced 5=Widowed	All years	
fincur	SURVEY	How would you characterize your current financial situation?	1=It's a financial struggle 2=It's tight but I'm doing fine 3=Finances aren't really a problem	All years	
finpast	SURVEY	Which of the following best describes your family's financial situation growing up?	1=Very poor, not enough to get by 2=Had enough to get by but not many "extras" 3=Comfortable 4=Well to do	All years	
educ_mom	SURVEY	What is the highest level of education completed by your mother?	1=Eighth grade or lower 2=Between 9 th and 12 th grade (but no high school degree) 3=High school degree 4=Some college (but no college degree) 5=Associate's degree 6=Bachelor's degree 7=Graduate degree 8=Don't know	2009 2010 2011 2012 2013 2014 2014-2015	
educ_dad	SURVEY	What is the highest level of education completed by your father?	1=Eighth grade or lower 2=Between 9 th and 12 th grade (but no high school degree) 3=High school degree 4=Some college (but no college degree) 5=Associate's degree 6=Bachelor's degree 7=Graduate degree 8=Don't know	2009 2010 2011 2012 2013 2014 2014-2015	
residenc	SURVEY	Where do you live?	1=Campus residence hall 2=Fraternity or sorority house 3=Other university housing 4=Off-campus, non-university housing 5=Parent or guardian's home 6=Other	All years	

3. Academics					
degree_full	SURVEY	In what degree program are you currently?	1=Associate's degree 2= Bachelor's degree 3=Master's degree 4=JD 5=MD 6=PhD or equivalent 7=Other	All years	(Select all that apply)
deg_level	SURVEY	In what degree program are you currently?	1=Undergraduate student 2=Graduate student 3= Other student	2007 2009 2010 2011 2012	3=Other defined as deg_other=1 or deg_ass=1
deg_ass	CALC	In what degree program are you currently?	0=Not associate's degree 1=Associate's degree	All years	
deg_bach	CALC	In what degree program are you currently?	0=Not bachelor's degree 1=Bachelor's degree	All years	
deg_mast	CALC	In what degree program are you currently?	0=Not master's degree 1=Master's degree	All years	
deg_jd	CALC	In what degree program are you currently?	0=Not JD 1=JD	All years	
deg_md	CALC	In what degree program are you currently?	0=Not MD 1=MD	All years	
deg_phd	CALC	In what degree program are you currently?	0=Not PhD or equivalent 1=PhD or equivalent	All years	
deg_oth	CALC	In what degree program are you currently?	0=Not other degree 1=Other degree	All years	
field	SURVEY	What is your field of study?	1=Humanities (English, language, history, philosophy, etc.) 2=Social science (Economics, psychology, sociology, political science, etc.) 3=Natural science and mathematics (Math, biology, chemistry, physics, etc.) 4=Art and Design 5=Architecture and Urban Planning 6=Business 7=Dentistry 8=Education 9=Engineering 10=Information 11=Kinesiology 12=Law 13=Medicine 14=Music	2007 2009 2010 2011 2012 2013 2014	(Select all that apply) In the 2007, 2009 and 2010, questionnaire read: 1=Humanities (Anthropology, English, language, history, philosophy, etc.)

			15=Natural Resources and Environment 16=Nursing 17=Pharmacy 18=Public Health 19=Public Policy 20=Social Work 21=Other 22=Undecided		
field_new	SURVEY	What is your field of study?	1=Humanities (English, language, history, philosophy, etc.) 2=Social science (Economics, psychology, sociology, political science, etc.) 3=Natural science and mathematics (Math, biology, chemistry, physics, etc.) 4=Art and Design 5=Architecture and Urban Planning 6=Business 7=Dentistry 8=Education 9=Engineering 10=Law 11=Medicine 12=Music, theatre, or dance 13=Natural Resources and Environment 14=Nursing 15=Pharmacy 16= Pre-professional (pre-business, pre-health, pre-health) 17=Public Health 18=Public Policy 19=Social Work 20=Undecided 22=Other	2014-2015	(Select all that apply) The following display logics used: If “degree_full” = 6, show “Dentistry” If “degree_full” =4, show “Law” If “degree_full” = 5-6, show “Medicine” If “degree_full” = 1-2, show “Pre-professional (pre-business, pre-health, pre-health)” If “degree_full” = 3-6, show “Social Work” If “degree_full” = 1-2, show “Undecided”
yr_sch	SURVEY	What year are you in your current degree program?	1=1 2=2 3=3 4=4 5=5 6=6 7=7 8=8 9=9+	All years	

timesch	SURVEY	During this semester, so far, about how many hours per day have you spent doing school work?	1=Less than 1 hour 2=1 hour 3=2 hours 4=3 hours 5=4 hours 6=5 hours 7=6 hours 8=7 hours 9=8 or more hours	2009 2010 2011 2012 2013 2014 2014-2015	In 2011, 2012, 2013, 2014 and 2014-2015 the questionnaire read: During this semester so far, about how many hours per day on average have you spent doing school work?
gpa	INST	Administrative data from school Registrar's Offices	Range: 0-91.3	All years	This information is not provided by all schools. Most schools appear to use a 0-4.0 scale, but some have values above 4.0. A GPA of 0.0 does not necessarily imply all failing grades; in fact, in most of these cases this value probably means that there is no GPA on record.
gpa_sr	SURVEY	Which of the following best describes your grade point average this year?	1=A 2=A- 3=B+ 4=B 5=B- 6=C+ 7=C 8=C- 9=D 10=No grade or don't know	2012 2013 2014 2014-2015	
compet	SURVEY	How would you rate the overall competitiveness between students in your classes?	1=Very competitive 2=Competitive 3=Somewhat competitive 4=Not competitive 5=Very uncompetitive 6=Not sure/don't know/not applicable	All years	
worthit	SURVEY	How confident are you that completing your degree program will be worth the time, cost, and effort that it will require?	1=Very confident 2=Somewhat confident 3=Neutral 4=Not confident 5=Not at all confident	2009 2010	
prospec	SURVEY	How do you feel about your job prospects for after you finish your education?	1=Very optimistic 2=Somewhat optimistic 3=Neutral 4=Pessimistic 5=Very pessimistic	2009 2010	
satisf	SURVEY	How satisfied are you overall with your experience so far at [SCHOOL NAME]?	1=Very satisfied 2=Satisfied 3=Neutral	2009 2010	

			4=Dissatisfied 5=Very dissatisfied		
donate	SURVEY	What is your best guess about the likelihood that you will donate money to [SCHOOL NAME] after you are finished with your education here?	1=Very likely 2=Likely 3=50/50 4=Unlikely 5=Very unlikely	2009 2010	
aca_impa	SURVEY	In the past 4 weeks, how many days have you felt that emotional or mental difficulties have hurt your academic performance?	1=None 2=1-2 days 3=3-5 days 4=6 or more days	All years	
activ	SURVEY	What activities do you currently participate in at your school?	1.= Academic or pre-professional organization 2 = Athletics (club) 3 = Athletics (intercollegiate varsity) 4 = Athletics (intramural) 5 = Community service 6 = Cultural or racial organization 7 = Dance 8 = Fraternity or sorority 9 = Gender or sexuality organization 10 = Government or politics (including student government) 11 = Health and wellness organization 12 = Media or publications 13 =Music or drama 14 =Religious organization 15 =Social organization (that is not a fraternity or sorority) 16 =Visual or fine arts 17 = Other 18 =None	2014-2015	(Select all that apply)
transfer	SURVEY	Did you transfer to your current institution from another college or university?	1= Yes, I transferred from a community or junior college. 2= Yes, I transferred from a four- year college or university. 3=No	2014-2015	Skip logic: If “degree_full” = 1-2, the question is asked.
highestdeg	SURVEY	What is the highest degree you plan to pursue?	1= 2-year college degree (associate’s) 2= 4-year college degree (bachelor’s) 3= Master’s degree	2014-2015	Skip logic: If “degree_full” = 1-2, the question is asked.

			4= Doctoral degree (JD, MD, PhD, etc.) 5= Other degree 6= I don't know yet		
transfer_likely	SURVEY	How much do you agree or disagree with the following statements? - I will transfer to another school before completing my degree at my current institution.	1=Strongly agree 2=Agree 3=Neither agree nor disagree 4=Disagree 5=Strongly disagree	2014-2015	
doubt_1	SURVEY	How much do you agree or disagree with the following statements? - I have doubts about whether college is worth the time, money, and effort that I'm spending on it.	1=Strongly agree 2=Agree 3=Neither agree nor disagree 4=Disagree 5=Strongly disagree	2014-2015	Skip logic: If "degree_full" = 1-2, the question is asked.
doubt_2	SURVEY	How much do you agree or disagree with the following statements? - I have doubts about whether graduate school is worth the time, money, and effort that I'm spending on it	1=Strongly agree 2=Agree 3=Neither agree nor disagree 4=Disagree 5=Strongly disagree	2014-2015	Skip logic: If "degree_full" = 3 or 6, the question is asked.
persist	SURVEY	How much do you agree or disagree with the following statements? - I am confident that I will be able to finish my degree no matter what challenges I may face.	1=Strongly agree 2=Agree 3=Neither agree nor disagree 4=Disagree 5=Strongly disagree	2014-2015	
4. Positive mental health					
mhcontin	CALC	Composite measure from Mental Health Continuum Short Form	Range: 0-70	2007 2009 2010 2011	Mental Health Continuum Short Form (Keyes, 2005)
keyes_flourish	CALC	Mental Health Continuum algorithm for flourishing: 1 of the 3 hedonic well-being symptoms (items 1-3) "all" or "most of the time" and feels 6 of 11 positive functioning symptoms (items 4-14) "all" or "most of the time" in the past month	0=Not flourish 1=Flourish	2007 2009 2010 2011	Mental Health Continuum Short Form (Keyes, 2005)
keyes_languish	CALC	Mental Health Continuum algorithm for languishing: 1 of the 3 hedonic well-being symptoms (items 1-3) "never" or "once or twice" and feels 6 of the 11 positive functioning symptoms (items 4-8 are indicators of Social well-being and 9-14 are indicators of Psychological well-being) "never" or "once or twice" in the past month	0=Not languish 1=Languish	2007 2009 2010 2011	Mental Health Continuum Short Form (Keyes, 2005)

diener_score	CALC	Composite measure from Psychological well-being scale	Range: 8-56	2012 2013	Psychological well-being scale (Diener et al., 2009)
keyes1	SURVEY	In the past month, how often did you feel happy?	0=Never 1=Once or twice 2=About once a week 3=2 or 3 times a week 4=Almost everyday 5=Everyday	2007 2009 2010 2011	Mental Health Continuum Short Form (Keyes, 2005)
keyes2	SURVEY	In the past month, how often did you feel interested in life?	0=Never 1=Once or twice 2=About once a week 3=2 or 3 times a week 4=Almost everyday 5=Everyday	2007 2009 2010 2011	Mental Health Continuum Short Form (Keyes, 2005)
keyes3	SURVEY	In the past month, how often did you feel satisfied?	0=Never 1=Once or twice 2=About once a week 3=2 or 3 times a week 4=Almost everyday 5=Everyday	2007 2009 2010 2011	Mental Health Continuum Short Form (Keyes, 2005)
keyes4	SURVEY	In the past month, how often did you feel that you had something important to contribute to society?	0=Never 1=Once or twice 2=About once a week 3=2 or 3 times a week 4=Almost everyday 5=Everyday	2007 2009 2010 2011	Mental Health Continuum Short Form (Keyes, 2005)
keyes5	SURVEY	In the past month, how often did you feel that you belonged to a community (like a social group, your neighborhood, your city)?	0=Never 1=Once or twice 2=About once a week 3=2 or 3 times a week 4=Almost everyday 5=Everyday	2007 2009 2010 2011	Mental Health Continuum Short Form (Keyes, 2005)
keyes6	SURVEY	In the past month, how often did you feel that our society is becoming a better place for people?	0=Never 1=Once or twice 2=About once a week 3=2 or 3 times a week 4=Almost everyday 5=Everyday	2007 2009 2010 2011	Mental Health Continuum Short Form (Keyes, 2005)
keyes7	SURVEY	In the past month, how often did you feel that people are basically good?	0=Never 1=Once or twice 2=About once a week 3=2 or 3 times a week 4=Almost everyday 5=Everyday	2007 2009 2010 2011	Mental Health Continuum Short Form (Keyes, 2005)
keyes8	SURVEY	In the past month, how often did you feel that the way our society works makes sense to you?	0=Never 1=Once or twice 2=About once a week 3=2 or 3 times a week	2007 2009 2010 2011	Mental Health Continuum Short Form (Keyes, 2005)

			4=Almost everyday 5=Everyday		
keyes9	SURVEY	In the past month, how often did you feel that you liked most parts of your personality?	0=Never 1=Once or twice 2=About once a week 3=2 or 3 times a week 4=Almost everyday 5=Everyday	2007 2009 2010 2011	Mental Health Continuum Short Form (Keyes, 2005)
keyes10	SURVEY	In the past month, how often did you feel good at managing the responsibilities of your daily life?	0=Never 1=Once or twice 2=About once a week 3=2 or 3 times a week 4=Almost everyday 5=Everyday	2007 2009 2010 2011	Mental Health Continuum Short Form (Keyes, 2005)
keyes11	SURVEY	In the past month, how often did you feel that you had warm and trusting relationships with others?	0=Never 1=Once or twice 2=About once a week 3=2 or 3 times a week 4=Almost everyday 5=Everyday	2007 2009 2010 2011	Mental Health Continuum Short Form (Keyes, 2005)
keyes12	SURVEY	In the past month, how often did you feel that you have experiences that challenge you to grow and become a better person?	0=Never 1=Once or twice 2=About once a week 3=2 or 3 times a week 4=Almost everyday 5=Everyday	2007 2009 2010 2011	Mental Health Continuum Short Form (Keyes, 2005)
keyes13	SURVEY	In the past month, how often did you feel confident to think or express your own ideas and opinions?	0=Never 1=Once or twice 2=About once a week 3=2 or 3 times a week 4=Almost everyday 5=Everyday	2007 2009 2010 2011	Mental Health Continuum Short Form (Keyes, 2005)
keyes14	SURVEY	In the past month, how often did you feel that your life has a sense of direction or meaning to it?	0=Never 1=Once or twice 2=About once a week 3=2 or 3 times a week 4=Almost everyday 5=Everyday	2007 2009 2010 2011	Mental Health Continuum Short Form (Keyes, 2005)
diener1	SURVEY	I lead a purposeful and meaningful life.	1=Strongly disagree 2=Disagree 3=Slightly disagree 4=Mixed or neither agree nor disagree 5=Slightly agree 6=Agree 7=Strongly agree	2012 2013 2014 2014-2015	Psychological well-being scale (Diener et al., 2009)
diener2	SURVEY	My social relationships are supportive and rewarding.	1=Strongly disagree 2=Disagree	2012 2013	Psychological well-being scale (Diener et al., 2009)

			3=Slightly disagree 4=Mixed or neither agree nor disagree 5=Slightly agree 6=Agree 7=Strongly agree	2014 2014-2015	
diener3	SURVEY	I am engaged and interested in my daily activities.	1=Strongly disagree 2=Disagree 3=Slightly disagree 4=Mixed or neither agree nor disagree 5=Slightly agree 6=Agree 7=Strongly agree	2012 2013 2014 2014-2015	Psychological well-being scale (Diener et al., 2009)
diener4	SURVEY	I actively contribute to the happiness and well-being of others.	1=Strongly disagree 2=Disagree 3=Slightly disagree 4=Mixed or neither agree nor disagree 5=Slightly agree 6=Agree 7=Strongly agree	2012 2013 2014 2014-2015	Psychological well-being scale (Diener et al., 2009)
diener5	SURVEY	I am competent and capable in the activities that are important to me.	1=Strongly disagree 2=Disagree 3=Slightly disagree 4=Mixed or neither agree nor disagree 5=Slightly agree 6=Agree 7=Strongly agree	2012 2013 2014 2014-2015	Psychological well-being scale (Diener et al., 2009)
diener6	SURVEY	I am a good person and live a good life.	1=Strongly disagree 2=Disagree 3=Slightly disagree 4=Mixed or neither agree nor disagree 5=Slightly agree 6=Agree 7=Strongly agree	2012 2013 2014 2014-2015	Psychological well-being scale (Diener et al., 2009)
diener7	SURVEY	I am optimistic about my future.	1=Strongly disagree 2=Disagree 3=Slightly disagree 4=Mixed or neither agree nor disagree 5=Slightly agree 6=Agree 7=Strongly agree	2012 2013 2014	Psychological well-being scale (Diener et al., 2009)
diener8	SURVEY	People respect me.	1=Strongly disagree 2=Disagree 3=Slightly disagree	2012 2013 2014	Psychological well-being scale (Diener et al., 2009)

			4=Mixed or neither agree nor disagree 5=Slightly agree 6=Agree 7=Strongly agree	2014-2015	
mh_imp	SURVEY	On a scale from 1 to 10, where 1 is not important and 10 is extremely important, how important to you is your mental and emotional well-being?	1= Not important 2 3 4 5 6 7 8 9 10= Extremely important	2014-2015	
belong_1	SURVEY	I see myself as a part of the campus community.	1=Strongly agree 2=Agree 3=Neither agree nor disagree 4=Disagree 5=Strongly disagree	2014-2015	
belong_2	SURVEY	I feel that I am a member of the campus community.	1=Strongly agree 2=Agree 3=Neither agree nor disagree 4=Disagree 5=Strongly disagree	2014-2015	
belong_3	SURVEY	I feel a sense of belonging to the campus community.	1=Strongly agree 2=Agree 3=Neither agree nor disagree 4=Disagree 5=Strongly disagree	2014-2015	
mh_prior	SURVEY	At my school, I feel that students' mental and emotional well-being is a priority.	1=Strongly agree 2=Agree 3=Neither agree nor disagree 4=Disagree 5=Strongly disagree	2014 2014-2015	
env_mh	SURVEY	At my school, I feel that the academic environment has a negative impact on students' mental and emotional well-being.	1=Strongly agree 2=Agree 3=Neither agree nor disagree 4=Disagree 5=Strongly disagree	2014 2014-2015	
cli_free	SURVEY	At my school, I feel that the campus climate encourages free and open discussion about mental and emotional health.	1=Strongly agree 2=Agree 3=Neither agree nor disagree 4=Disagree 5=Strongly disagree	2014 2014-2015	
5. Depression and anxiety screen					
depraws	CALC	Raw Patient Health Questionnaire score	Range: 0-27	All years	Patient Health Questionnaire-9 (Kroenke et al., 2001)

dep_maj	CALC	PHQ-9 screen for major depression	0=Not major depression 1=Major depression: 5 or more of the symptoms have been present at least “more than half the days” in the past 2 weeks, and 1 of the symptoms is depressed mood or anhedonia	All years	Patient Health Questionnaire-9 (Kroenke et al., 2001) Major depression is endorsed if: 5 or more of the symptoms have been present at least “more than half the days” in the past 2 weeks, and 1 of the symptoms is depressed mood or anhedonia. Item 9 (phq9_9 Thoughts that you would be better off dead) counts as a symptom if endorsed at all.
dep_oth	CALC	PHQ-9 screen for moderate depression	0=PHQ-9 score <5, >9 1=PHQ-9 score 5-9	All years	Patient Health Questionnaire-9 (Kroenke et al., 2001)
dep_any	CALC	PHQ-9 score cut-off for any depression, major or moderate	0=Not a positive screen for any depression 1=Positive screen for any depression	All years	Patient Health Questionnaire-9 (Kroenke et al., 2001)
phq9_1	SURVEY	Over the last 2 weeks, how often have you been bothered by any of the following problems? - Little interest or pleasure in doing things	1=Not at all 2=Several days 3=More than half the days 4=Nearly every day	All years	Patient Health Questionnaire-9 (Kroenke et al., 2001)
phq9_2	SURVEY	Over the last 2 weeks, how often have you been bothered by any of the following problems? - Feeling down, depressed or hopeless	1=Not at all 2=Several days 3=More than half the days 4=Nearly every day	All years	Patient Health Questionnaire-9 (Kroenke et al., 2001)
phq9_3	SURVEY	Over the last 2 weeks, how often have you been bothered by any of the following problems? - Trouble falling or staying asleep, or sleeping too much	1=Not at all 2=Several days 3=More than half the days 4=Nearly every day	All years	Patient Health Questionnaire-9 (Kroenke et al., 2001)
phq9_4	SURVEY	Over the last 2 weeks, how often have you been bothered by any of the following problems? - Feeling tired or having little energy	1=Not at all 2=Several days 3=More than half the days 4=Nearly every day	All years	Patient Health Questionnaire-9 (Kroenke et al., 2001)
phq9_5	SURVEY	Over the last 2 weeks, how often have you been bothered by any of the following problems? - Poor appetite or overeating	1=Not at all 2=Several days 3=More than half the days 4=Nearly every day	All years	Patient Health Questionnaire-9 (Kroenke et al., 2001)
phq9_6	SURVEY	Over the last 2 weeks, how often have you been bothered by any of the following problems? - Feeling bad about yourself--or that you are a failure or have let yourself or your family down	1=Not at all 2=Several days 3=More than half the days 4=Nearly every day	All years	Patient Health Questionnaire-9 (Kroenke et al., 2001)

phq9_7	SURVEY	Over the last 2 weeks, how often have you been bothered by any of the following problems? - Trouble concentrating on things, such as reading the newspaper or watching television	1=Not at all 2=Several days 3=More than half the days 4=Nearly every day	All years	Patient Health Questionnaire-9 (Kroenke et al., 2001)
phq9_8	SURVEY	Over the last 2 weeks, how often have you been bothered by any of the following problems? - Moving or speaking so slowly that other people could have noticed; or the opposite—being so fidgety or restless that you have been moving around a lot more than usual	1=Not at all 2=Several days 3=More than half the days 4=Nearly every day	All years	Patient Health Questionnaire-9 (Kroenke et al., 2001)
phq9_9	SURVEY	Over the last 2 weeks, how often have you been bothered by any of the following problems? - Thoughts that you would be better off dead or of hurting yourself in some way	1=Not at all 2=Several days 3=More than half the days 4=Nearly every day	All years	Patient Health Questionnaire-9 (Kroenke et al., 2001)
dep_impa	SURVEY	If you checked off <i>any</i> problems, how difficult have these problems made it for you to do your work, take care of things at home, or get along with other people?	1=Not difficult at all 2=Somewhat difficult 3=Very difficult 4=Extremely difficult	All years	Skip logic: If “phq9_1” – “phq9_9” = 2 or greater, the question is asked. Patient Health Questionnaire-9 (Kroenke et al., 2001)
phq2_1	SURVEY	Think about the two week period in the past year when you experienced the two problems below the most frequently. During that period, how often were you bothered by these problems? - Little interest or pleasure in doing things	1=Not at all 2=Several days 3=More than half the days 4=Nearly every day	All years	Adaptation of Patient Health Questionnaire-2
phq2_2	SURVEY	Think about the two-week period in the past year when you experienced the two problems below the most frequently. During that period, how often were you bothered by these problems? - Feeling down, depressed or hopeless	1=Not at all 2=Several days 3=More than half the days 4=Nearly every day	All years	Adaptation of Patient Health Questionnaire-2
panicdis	CALC	PHQ algorithm for panic disorder screen: All must be “yes”: In the last 4 weeks, have you had an anxiety attack--suddenly feeling fear or panic? Has this happened before? Do some of these attacks come suddenly out of the blue--that is, in	0=Not a positive screen 1=Positive screen	2007 2009 2010 2011 2012	Patient Health Questionnaire (Spitzer et al., 1999)

		<p>situations where you don't expect to be nervous or uncomfortable? Do these attacks bother you a lot or are you worried about having another attack? And ≥ 4 of the following must be "yes": Think about your last bad anxiety attack...</p> <p>Were you short of breath? Did your heart race, pound or skip? Did you have chest pain or pressure? Did you sweat? Did you feel as if you were choking? Did you have hot flashes or chills? Did you have nausea or an upset stomach, or the feeling that you were going to have diarrhea? Did you feel dizzy, unsteady, or faint? Did you have tingling or numbness in parts of your body? Did you tremble or shake? Were you afraid you were dying?</p>			
gen_anx	CALC	<p>PHQ algorithm for generalized anxiety screen:</p> <p>Must be "more than half the days": Over the last 4 weeks, how often have you been bothered by feeling nervous, anxious, on edge, or worrying a lot about different things? And ≥ 3 of the following must be "more than half the days": Over the last 4 weeks, how often have you been bothered by any of the following problems? Feeling restless so that it is hard to sit still getting tired very easily Muscle tension, aches, or soreness Trouble falling asleep or staying asleep Trouble concentrating on things, such as reading a book or watching TV Becoming easily annoyed or irritable</p>	<p>0=Not a positive screen 1=Positive screen</p>	<p>2007 2009 2010 2011 2012</p>	<p>Patient Health Questionnaire (Spitzer et al., 1999)</p>
anx_any	CALC	<p>from panicdis and gen_anx</p>	<p>0=Not a positive screen for panic disorder and/or generalized anxiety 1=Positive screen for panic disorder and/or generalized anxiety</p>	<p>2007 2009 2010 2011 2012</p>	<p>Patient Health Questionnaire (Spitzer et al., 1999)</p>

panic1	SURVEY	In the last 4 weeks, have you had an anxiety attack—suddenly feeling fear or panic?	0=No 1=Yes	2007 2009 2010 2011 2012	Patient Health Questionnaire (Spitzer et al., 1999)
panic2	SURVEY	Has this happened before?	0=No 1=Yes	2007 2009 2010 2011 2012	Patient Health Questionnaire (Spitzer et al., 1999) Skip logic: If “panic1” = “yes”, the question is asked.
panic3	SURVEY	Do some of these attacks come suddenly out of the blue--that is, in situations where you don't expect to be nervous or uncomfortable?	0=No 1=Yes	2007 2009 2010 2011 2012	Patient Health Questionnaire (Spitzer et al., 1999) Skip logic: If “panic1” = “yes”, the question is asked.
panic4	SURVEY	Do these attacks bother you a lot or are you worried about having another attack?	0=No 1=Yes	2007 2009 2010 2011 2012	Patient Health Questionnaire (Spitzer et al., 1999) Skip logic: If “panic1” = “yes”, the question is asked.
panic5	SURVEY	Think about your last bad anxiety attack. Were you short of breath?	0=No 1=Yes	2007 2009 2010 2011 2012	Patient Health Questionnaire (Spitzer et al., 1999) Skip logic: If “panic1” = “yes”, the question is asked.
panic6	SURVEY	Think about your last bad anxiety attack. Did your heart race, pound or skip?	0=No 1=Yes	2007 2009 2010 2011 2012	Patient Health Questionnaire (Spitzer et al., 1999) Skip logic: If “panic1” = “yes”, the question is asked.
panic7	SURVEY	Think about your last bad anxiety attack. Did you have chest pain or pressure?	0=No 1=Yes	2007 2009 2010 2011 2012	Patient Health Questionnaire (Spitzer et al., 1999) Skip logic: If “panic1” = “yes”, the question is asked.
panic8	SURVEY	Think about your last bad anxiety attack. Did you sweat?	0=No 1=Yes	2007 2009 2010 2011 2012	Patient Health Questionnaire (Spitzer et al., 1999) Skip logic: If “panic1” = “yes”, the question is asked.
panic9	SURVEY	Think about your last bad anxiety attack. Did you feel as if you were choking?	0=No 1=Yes	2007 2009 2010 2011 2012	Patient Health Questionnaire (Spitzer et al., 1999) Skip logic: If “panic1” = “yes”, the question is asked.

panic10	SURVEY	Think about your last bad anxiety attack. Did you have hot flashes or chills?	0=No 1=Yes	2007 2009 2010 2011 2012	Patient Health Questionnaire (Spitzer et al., 1999) Skip logic: If “panic1” = “yes”, the question is asked.
panic11	SURVEY	Think about your last bad anxiety attack. Did you have nausea or an upset stomach, or the feeling that you were going to have diarrhea?	0=No 1=Yes	2007 2009 2010 2011 2012	Patient Health Questionnaire (Spitzer et al., 1999) Skip logic: If “panic1” = “yes”, the question is asked.
panic12	SURVEY	Think about your last bad anxiety attack. Did you feel dizzy, unsteady, or faint?	0=No 1=Yes	2007 2009 2010 2011 2012	Patient Health Questionnaire (Spitzer et al., 1999) Skip logic: If “panic1” = “yes”, the question is asked.
panic13	SURVEY	Think about your last bad anxiety attack. Did you have tingling or numbness in parts of your body?	0=No 1=Yes	2007 2009 2010 2011 2012	Patient Health Questionnaire (Spitzer et al., 1999) Skip logic: If “panic1” = “yes”, the question is asked.
panic14	SURVEY	Think about your last bad anxiety attack. Did you tremble or shake?	0=No 1=Yes	2007 2009 2010 2011 2012	Patient Health Questionnaire (Spitzer et al., 1999) Skip logic: If “panic1” = “yes”, the question is asked.
panic15	SURVEY	Think about your last bad anxiety attack. Were you afraid you were dying?	0=No 1=Yes	2007 2009 2010 2011 2012	Patient Health Questionnaire (Spitzer et al., 1999) Skip logic: If “panic1” = “yes”, the question is asked.
gad1	SURVEY	Over the last 4 weeks, how often have you been bothered by feeling nervous, anxious, on edge, or worrying a lot about different things?	1=Not at all 2=Several days 3=More than half the days	2007 2009 2010 2011 2012	Patient Health Questionnaire (Spitzer et al., 1999)
gad2	SURVEY	Over the last 4 weeks, how often have you been bothered by any of the following problems? Feeling restless so that it is hard to sit still	1=Not at all 2=Several days 3=More than half the days	2007 2009 2010 2011 2012	Patient Health Questionnaire (Spitzer et al., 1999) Skip logic: If “gad1” = “several days” or “more than half the days”, the question is asked
gad3	SURVEY	Over the last 4 weeks, how often have you been bothered by any of the following problems? Getting tired very easily	1=Not at all 2=Several days 3=More than half the days	2007 2009 2010 2011 2012	Patient Health Questionnaire (Spitzer et al., 1999)

					Skip logic: If “gad1” = “several days” or “more than half the days”, the question is asked
gad4	SURVEY	Over the last 4 weeks, how often have you been bothered by any of the following problems? - Muscle tension, aches, or soreness	1=Not at all 2=Several days 3=More than half the days	2007 2009 2010 2011 2012	Patient Health Questionnaire (Spitzer et al., 1999) Skip logic: If “gad1” = “several days” or “more than half the days”, the question is asked
gad5	SURVEY	Over the last 4 weeks, how often have you been bothered by any of the following problems? - Trouble falling asleep or staying asleep	1=Not at all 2=Several days 3=More than half the days	2007 2009 2010 2011 2012	Patient Health Questionnaire (Spitzer et al., 1999) Skip logic: If “gad1” = “several days” or “more than half the days”, the question is asked.
gad6	SURVEY	Over the last 4 weeks, how often have you been bothered by any of the following problems? - Trouble concentrating on things, such as reading a book or watching TV	1=Not at all 2=Several days 3=More than half the days	2007 2009 2010 2011 2012	Patient Health Questionnaire (Spitzer et al., 1999) Skip logic: If “gad1” = “several days” or “more than half the days”, the question is asked
gad7	SURVEY	Over the last 4 weeks, how often have you been bothered by any of the following problems? - Becoming easily annoyed or irritable	1=Not at all 2=Several days 3=More than half the days	2007 2009 2010 2011 2012	Patient Health Questionnaire (Spitzer et al., 1999) Skip logic: If “gad1” = “several days” or “more than half the days”, the question is asked.
anx_score	CALC	Raw GAD-7 score	Range: 0-21	2013 2014 2014-2015	GAD-7 (Spitzer, Kroenke, Williams, & Lowe, 2006)
anx_mod	CALC	GAD-7 score=10-14	0=Not moderate anxiety 1=Moderate anxiety	2013 2014 2014-2015	GAD-7 (Spitzer, Kroenke, Williams, & Lowe, 2006)
anx_sev	CALC	GAD-7 score=15-21	0=Not severe anxiety 1=Severe anxiety	2013 2014 2014-2015	GAD-7 (Spitzer, Kroenke, Williams, & Lowe, 2006)
anx_any_gad	CALC	GAD-7 score > 9	0=Not a positive screen for anxiety 1=Positive screen for anxiety	2013 2014 2014-2015	GAD-7 (Spitzer, Kroenke, Williams, & Lowe, 2006)
gad7_1	SURVEY	Over the last 2 weeks, how often have you been bothered by the following problems? - Feeling nervous, anxious or on edge	1=Not at all 2=Several days 3=Over half the days 4=Nearly every day	2013 2014 2014-2015	GAD-7 (Spitzer, Kroenke, Williams, & Lowe, 2006)
gad7_2	SURVEY	Over the last 2 weeks, how often have you been bothered by the following problems?	1=Not at all 2=Several days 3=Over half the days 4=Nearly every day	2013 2014 2014-2015	GAD-7 (Spitzer, Kroenke, Williams, & Lowe, 2006)

		- Not being able to stop or control worrying			
gad7_3	SURVEY	Over the last 2 weeks, how often have you been bothered by the following problems? - Worrying too much about different things	1=Not at all 2=Several days 3=Over half the days 4=Nearly every day	2013 2014 2014-2015	GAD-7 (Spitzer, Kroenke, Williams, & Lowe, 2006)
gad7_4	SURVEY	Over the last 2 weeks, how often have you been bothered by the following problems? - Trouble relaxing	1=Not at all 2=Several days 3=Over half the days 4=Nearly every day	2013 2014 2014-2015	GAD-7 (Spitzer, Kroenke, Williams, & Lowe, 2006)
gad7_5	SURVEY	Over the last 2 weeks, how often have you been bothered by the following problems? - Being so restless that it's hard to sit still	1=Not at all 2=Several days 3=Over half the days 4=Nearly every day	2013 2014 2014-2015	GAD-7 (Spitzer, Kroenke, Williams, & Lowe, 2006)
gad7_6	SURVEY	Over the last 2 weeks, how often have you been bothered by the following problems? - Becoming easily annoyed or irritable	1=Not at all 2=Several days 3=Over half the days 4=Nearly every day	2013 2014 2014-2015	GAD-7 (Spitzer, Kroenke, Williams, & Lowe, 2006)
gad7_7	SURVEY	Over the last 2 weeks, how often have you been bothered by the following problems? - Feeling afraid as if something awful might happen	1=Not at all 2=Several days 3=Over half the days 4=Nearly every day	2013 2014 2014-2015	GAD-7 (Spitzer, Kroenke, Williams, & Lowe, 2006)
gad7_impa	SURVEY	How difficult have these problems made it for you to do your work, take care of things at home, or get along with other people?	1=Not difficult at all 2=Somewhat difficult 3=Very difficult 4=Extremely difficult	2013 2014 2014-2015	GAD-7 (Spitzer, Kroenke, Williams, & Lowe, 2006) Skip logic: If any "gad7_1-gad7_7" >1
6. Eating and body					
ed1	SURVEY	Do you currently weigh less than other people think you ought to weigh?	1=Yes, much less 2=Yes, moderately less 3=Yes, slightly less 4=No	2007 2009 2010 2011 2012	
ed2	SURVEY	Do you have eating binges in which you eat a large amount of food in a short period of time and feel that your eating is out of control?	1=Yes, frequently (More than 2 times per week on average) 2=Yes, occasionally (1-2 times per week on average) 3=Yes, but infrequently (less than once per week on average) 4=No	2007 2009	
ed2_a	SURVEY	During eating binges, which of the following thoughts or behaviors typically occur for you?	1=Eating much more rapidly than normal 2=Eating until you felt uncomfortably full	2007 2009	(Select all that apply) Skip logic: If "ed2" = "Yes, frequently," "Yes, occasionally,"

			3=Eating a large amount of food when you did not feel physically hungry 4=Eating alone because you were embarrassed by how much you were eating 5=Feeling disgusted with yourself, depressed, or very guilty after overeating 6=Feeling very upset that you could not stop eating or control your eating		or “Yes, but infrequently”, the question is asked.
ed2_b	SURVEY	Do you do things to counteract the effects of eating a large amount of food?	1=Making yourself vomit 2=Laxatives 3=Diuretics (water pills) 4=Diet pills 5=Strict dieting or fasting 6=Exercising a lot 7=Enemas	2007 2009	(Select all that apply)
ed2_c	SURVEY	How frequently do you do things to counteract the effects of eating a large amount of food?	1=Frequently (More than 2 times per week on average) 2=Occasionally (1-2 times per week on average) 3=Infrequently (less than once per week on average) 4=Never	2007 2009	In 2007, 4=Never, was not an option
ed2_new	SURVEY	During the past six months, did you often eat within any two hours period what most people would regard as an unusually large amount of food?	0=No 1=Yes	2010 2011 2012	
ed2_new_a	SURVEY	During the times when you ate this way, did you often feel you couldn’t stop eating or control what or how much you were eating?	0=No 1=Yes	2010 2011 2012	Skip logic: If “ed2_new” = “yes” the question is asked.
ed2_new_b	SURVEY	During the past six months, how often, on average, did you have times when you ate this way – that is, large amounts of food plus the feeling that your eating was out of control? (There may have been some weeks when it was not present – just average those in)	1=Less than one day a week 2=One day a week 3=Two or three days a week 4=Four or five days a week 5=Nearly everyday	2010 2011 2012	Skip logic: If “ed2_new_a” = “yes” the question is asked.
ed3	SURVEY	Have you ever lost your menstrual period as a result of being at a low weight?	1=Yes, I missed 3 or more menstrual periods in a row 2 =Yes, I missed 1 or 2 menstrual periods 3=I think I am only menstruating because I take the birth control pill 4=No	2007 2009 2010 2011 2012	Skip logic: If “gender” = “female”, the question is asked.

ed4	SURVEY	Is your body shape and weight among the most important things that affect how you feel about yourself?	1=Yes, it is the most important aspect of my self-regard 2=Yes, it is one of the most important aspects of my self-regard 3=No, other aspects are more important	2007 2009 2010 2011 2012	
ed5	SURVEY	Do you need to be very thin in order to feel good about yourself?	0=No 1=Yes	All years	
ed6	SURVEY	Do you still feel too fat even though others say you are thin?	0=No 1=Yes	2007 2009 2010 2011	
body_sr	SURVEY	I think I am...	1=Very underweight 2=Somewhat underweight 3=Normal weight 4=Somewhat overweight 5=Very overweight	2012 2013 2014 2014-2015	
wgt_lbs	SURVEY	About how much do you weigh?	Range: 50-1,000	2010 2011 2012 2013 2014 2014-2015	In 2014-2015, the questionnaire includes: (If you don't know, please provide your best guess)
hgt_inch	SURVEY	About how tall are you?	Range: 36-95	2010 2011 2012 2013 2014 2014-2015	In 2014-2015, the questionnaire includes: (If you don't know, please provide your best guess)
bmi	CALC	Calculated body mass index	Range: 4.95-160.71	2010 2011 2012 2013 2014 2014-2015	
ed_scoff	CALC	Raw SCOFF score	Range: 0-5	2013 2014 2014-2015	SCOFF questionnaire (Morgan, Reid, & Lacey, 1999)
scoff_1	SURVEY	Do you ever make yourself vomit, or use laxatives, diuretics (water pills), or diet pills to influence your body shape or weight?	0=No 1=Yes	2013 2014	SCOFF questionnaire (Morgan, Reid, & Lacey, 1999)
scoff_2	SURVEY	Do you worry that you have lost control over how much you eat?	0=No 1=Yes	2013 2014 2014-2015	SCOFF questionnaire (Morgan, Reid, & Lacey, 1999)

scoff_3	SURVEY	Have you recently lost more than 15 pounds in a 3-month period?	0=No 1=Yes	2013 2014 2014-2015	SCOFF questionnaire (Morgan, Reid, & Lacey, 1999) In 2014-2015, the questionnaire read: Have you recently lost more than 14 pounds in a 3-month period?
scoff_4	SURVEY	Do you believe yourself to be fat when others say you are too thin?	0= No 1=Yes	2013 2014 2014-2015	SCOFF questionnaire (Morgan, Reid, & Lacey, 1999)
scoff_5	SURVEY	Would you say that food dominates your life?	0=No 1=Yes	2013 2014 2014-2015	SCOFF questionnaire (Morgan, Reid, & Lacey, 1999)
7. Self-injurious behavior and suicide					
sib_full	SURVEY	This question asks about ways you may have hurt yourself on purpose, without intending to kill yourself. In the past year, have you ever done any of the following intentionally?	1=Cut myself 2=Burned myself 3=Punched or banged myself 4=Scratched myself 5=Pulled my hair 6=Bit myself 7=Interfered with wound healing 8=Carved words or symbols into skin 9=Rubbed sharp objects into skin 10=Punched or banged an object to hurt myself 11=Other 12=No, none of these	All years	(Select all that apply)
sib_any	CALC	This question asks about ways you may have hurt yourself on purpose, without intending to kill yourself. In the past year, have you ever done any of the following intentionally?	0=None 1=Any	All years	
sib_cut	CALC	In the past year, have you ever done any of the following intentionally?	0=Not cut myself 1=Cut myself	All years	
sib_burn	CALC	In the past year, have you ever done any of the following intentionally?	0=Not burned myself 1=Burned myself	All years	
sib_punc	CALC	In the past year, have you ever done any of the following intentionally?	0=Not punched or bang myself 1=Punched or banged myself	All years	
sib_scr	CALC	In the past year, have you ever done any of the following intentionally?	0=Not scratched myself 1=Scratched myself	All years	
sib_pull	CALC	In the past year, have you ever done any of the following intentionally?	0=Not pulled my hair 1=Pulled my hair	All years	
sib_bite	CALC	In the past year, have you ever done any of the following intentionally?	0=Not bit myself 1=Bit myself	All years	

sib_woun	CALC	In the past year, have you ever done any of the following intentionally?	0=Not interfered with wound healing 1=Interfered with wound healing	All years	
sib_carv	CALC	In the past year, have you ever done any of the following intentionally?	0=Not carved words or symbols into skin 1=Carved words or symbols into skin	All years	
sib_rub	CALC	In the past year, have you ever done any of the following intentionally?	0=Not rubbed sharp objects into skin 1=Rubbed sharp objects into skin	All years	
sib_obj	CALC	In the past year, have you ever done any of the following intentionally?	0=Not punched or banged an object to hurt myself 1=Punched or banged an object to hurt myself	All years	
sib_oth	CALC	In the past year, have you ever done any of the following intentionally?	0=Not did other types of self-injurious behavior 1=Other	All years	
sib_freq	SURVEY	On average, how often in the past year did you hurt yourself on purpose, without intending to kill yourself?	1=Once or twice 2=Once a month or less 3=2 or 3 times a month 4=Once or twice a week 5=3 to 5 days a week 6=Nearly everyday or everyday	All years	Skip logic: If “sib_full” = any response 1-11, the question is asked.
sui_idea	SURVEY	In the past year, did you ever seriously think about attempting suicide?	0=No 1=Yes	All years	In 2007, 2009 and 2011, the questionnaire read: In the past year, did you ever seriously think about committing suicide?
sui_plan	SURVEY	In the past year, did you make a plan for attempting suicide?	0=No 1=Yes	All years	In 2007 and 2009, the questionnaire read: In the past year, did you make a plan for committing suicide? Skip logic: If “sui_idea” = “yes”, the question is asked
sui_att	SURVEY	In the past year, did you attempt suicide?	0=No 1=Yes	All years	Skip logic: If “sui_idea” = “yes”, the question is asked.
8. Diagnosed mental illness					
dx_full	SURVEY	Have you ever been diagnosed with any of the following conditions by a health professional (e.g. primary care doctor, psychiatrist, psychologist, etc.)?	1=Depression (e.g., major depressive disorder, bipolar/manic depression, dysthymia) 2=Anxiety (e.g., generalized anxiety disorder, phobias, obsessive-compulsive	All years	(Select all that apply) In 2013, 2014 and 2014-2015 the questionnaire response read: 1= Depression or other mood disorders (e.g., major

			<p>disorder, post-traumatic stress disorder)</p> <p>3=Attention disorder or learning disability (e.g., attention deficit disorder, attention deficit hyperactivity disorder, learning disability)</p> <p>4=Eating disorder (e.g., anorexia nervosa, bulimia nervosa)</p> <p>5=Psychosis (e.g., schizophrenia, schizo-affective disorder)</p> <p>6=Personality disorder (e.g., antisocial personality disorder, paranoid personality disorder, schizoid personality disorder)</p> <p>7=Substance abuse disorder (e.g., alcohol abuse, abuse of other drugs)</p> <p>8=No, none of these</p> <p>9=Don't know</p>		<p>depressive disorder, bipolar/manic depression, dysthymia)</p>
dx_any	CALC	<p>Have you ever been diagnosed with any of the following conditions by a health professional (e.g. primary care doctor, psychiatrist, psychologist, etc.)?</p> <p>Depression (e.g., major depressive disorder, bipolar/manic depression, dysthymia)</p> <p>Anxiety (e.g., generalized anxiety disorder, phobias, obsessive-compulsive disorder, post-traumatic stress disorder)</p> <p>Attention disorder or learning disability (e.g., attention deficit disorder, attention deficit hyperactivity disorder, learning disability)</p> <p>Eating disorder (e.g., anorexia nervosa, bulimia nervosa)</p> <p>Psychosis (e.g., schizophrenia, schizo-affective disorder)</p> <p>Personality disorder (e.g., antisocial personality disorder, paranoid personality disorder, schizoid personality disorder)</p> <p>Substance abuse disorder (e.g., alcohol abuse, abuse of other drugs)</p> <p>No, none of these</p>	<p>0=None</p> <p>1=Any diagnosis</p>	All years	

		Don't know			
dx_dep	SURVEY	Specifically, which of the following depression problems were you diagnosed with by a professional?	1=Major depressive disorder 2=Dysthymia (chronic depression) 3=Bipolar/manic depression 4=Cyclothymia (can be thought of as low-level bipolar disorder) 5=Other 6=Don't know	All years	(Select all that apply) Skip logic: If "dx_full" = "Depression", the question is asked.
dx_dep_m	CALC	Specifically, which of the following depression problems were you diagnosed with by a professional?	0=Not major depressive disorder 1=Major depressive disorder	All years	
dx_dep_d	CALC	Specifically, which of the following depression problems were you diagnosed with by a professional?	0=Not dysthymia (chronic depression) 1=Dysthymia (chronic depression)	All years	
dx_dep_b	CALC	Specifically, which of the following depression problems were you diagnosed with by a professional?	0=Not bipolar/manic depression 1=Bipolar/manic depression	All years	
dx_dep_c	CALC	Specifically, which of the following depression problems were you diagnosed with by a professional?	0=Not cyclothymia (can be thought of as low-level bipolar disorder) 1=Cyclothymia (can be thought of as low-level bipolar disorder)	All years	
dx_dep_o	CALC	Specifically, which of the following depression problems were you diagnosed with by a professional?	0=Not other depression problem 1=Other depression problem	All years	
dx_ax	SURVEY	Specifically, which of the following anxiety disorders were you diagnosed with by a professional?)	1=Generalized anxiety disorder 2=Panic disorder 3=Agoraphobia 4=Specific phobia (e.g. claustrophobia, arachnophobia, etc) 5=Social phobia 6=Obsessive-compulsive disorder 7=Acute stress disorder 8=Post traumatic stress disorder (PTSD) 9=Other 10=Don't know	All years	(Select all that apply) Skip logic: If "dx_full" = "Anxiety", the question is asked.
dx_ax_ga	CALC	Specifically, which of the following anxiety disorders were you diagnosed with by a professional?)	0=Not generalized anxiety disorder 1=Generalized anxiety disorder	All years	

dx_ax_pd	CALC	Specifically, which of the following anxiety disorders were you diagnosed with by a professional?)	0=Not panic disorder 1=Panic disorder	All years	
dx_ax_ag	CALC	Specifically, which of the following anxiety disorders were you diagnosed with by a professional?)	0=Not agoraphobia 1=Agoraphobia	All years	
dx_ax_sp	CALC	Specifically, which of the following anxiety disorders were you diagnosed with by a professional?)	0=Not a specific phobia (e.g. claustrophobia, arachnophobia, etc.) 1=Specific phobia (e.g. claustrophobia, arachnophobia, etc.)	All years	
dx_ax_so	CALC	Specifically, which of the following anxiety disorders were you diagnosed with by a professional?)	0=Not social phobia 1=Social phobia	All years	
dx_ax_oc	CALC	Specifically, which of the following anxiety disorders were you diagnosed with by a professional?)	0=Not obsessive-compulsive disorder 1=Obsessive-compulsive disorder	All years	
dx_ax_ac	CALC	Specifically, which of the following anxiety disorders were you diagnosed with by a professional?)	0=Not acute stress disorder 1=Acute stress disorder	All years	
dx_ax_pt	CALC	Specifically, which of the following anxiety disorders were you diagnosed with by a professional?)	0=Not post-traumatic stress disorder (PTSD) 1=Post traumatic stress disorder (PTSD)	All years	
dx_ax_o	CALC	Specifically, which of the following anxiety disorders were you diagnosed with by a professional?)	0=Not other anxiety disorder 1=Other anxiety disorder	All years	
dx_att	SURVEY	Specifically, which of the following attention or learning disability disorders were you diagnosed with by a professional?	1=Attention deficit hyperactivity disorder (ADHD or ADD) 2=Other learning disability 3=Other (specify) 4=Don't know	All years	(Select all that apply) Skip logic: If "dx_full" = "Attention disorder or learning disability", the question is asked.
dx_att_a	CALC	Specifically, which of the following attention or learning disability disorders were you diagnosed with by a professional?	0=Not attention deficit hyperactivity disorder (ADHD or ADD) 1=Attention deficit hyperactivity disorder (ADHD or ADD)	All years	
dx_att_l	CALC	Specifically, which of the following attention or learning disability disorders were you diagnosed with by a professional?	0=Not other learning disability 1=Other learning disability	All years	
dx_att_o	CALC	Specifically, which of the following attention or learning disability	0=Not other attention disorder	All years	

		disorders were you diagnosed with by a professional?	1=Other attention disorder		
dx_ea	SURVEY	Specifically, which of the following eating disorders were you diagnosed with by a professional?	1=Anorexia 2=Bulimia 3=Binge-eating Disorder 4=Other 5=Don't know	All years	(Select all that apply) Skip logic: If "dx_full" = "Eating disorder", the question is asked.
dx_ea_an	CALC	Specifically, which of the following eating disorders were you diagnosed with by a professional?	0=Not anorexia 1=Anorexia	All years	
dx_ea_bu	CALC	Specifically, which of the following eating disorders were you diagnosed with by a professional?	0=Not bulimia 1=Bulimia	All years	
dx_ea_bi	CALC	Specifically, which of the following eating disorders were you diagnosed with by a professional?	0=Not binge eating disorder 1=Binge eating disorder	All years	
dx_ea_o	CALC	Specifically, which of the following eating disorders were you diagnosed with by a professional?	0=Not other eating disorder 1=Other eating disorder	All years	
dx_psy	SURVEY	Specifically, which of the following psychotic disorders were you diagnosed with by a professional?	1=Schizophrenia 2=Schizo-affective disorder 3=Brief psychotic disorder 4=Delusional disorder 5=Schizophreniform disorder 6=Shared psychotic disorder 7=Other 8=Don't know	All years	(Select all that apply) Skip logic: If "dx_full" = "psychosis", the question is asked.
dx_psy_s	CALC	Specifically, which of the following psychotic disorders were you diagnosed with by a professional?	0=Not schizophrenia 1=Schizophrenia	All years	
dx_psy_sa	CALC	Specifically, which of the following psychotic disorders were you diagnosed with by a professional?	0=Not schizo-affective disorder 1=Schizo-affective disorder	All years	
dx_psy_bp	CALC	Specifically, which of the following psychotic disorders were you diagnosed with by a professional?	0=Not brief psychotic disorder 1=Brief psychotic disorder	All years	
dx_psy_d	CALC	Specifically, which of the following psychotic disorders were you diagnosed with by a professional?	0=Not delusional disorder 1=Delusional disorder	All years	
dx_psy_sp	CALC	Specifically, which of the following psychotic disorders were you diagnosed with by a professional?	0=Not schizophreniform disorder 1=Schizophreniform disorder	All years	
dx_psy_shp	CALC	Specifically, which of the following psychotic disorders were you diagnosed with by a professional?	0=Not shared psychotic disorder 1=shared psychotic disorder	All years	

dx_psy_o	CALC	Specifically, which of the following psychotic disorders were you diagnosed with by a professional?	0=Not other psychotic disorder 1=Other psychotic disorder	All years	
dx_perso	SURVEY	Specifically, which of the following personality disorders were you diagnosed with by a professional?	1=Antisocial personality disorder 2=Avoidant personality disorder 3=Borderline personality disorder 4=Dependent personality disorder 5=Histrionic personality disorder 6=Narcissistic personality disorder 7=Obsessive-Compulsive personality disorder 8=Paranoid personality disorder 9=Schizoid personality disorder 10=Schizotypal personality disorder 11=Other 12=Don't know	All years	(Select all that apply) Skip logic: If "dx_full" = "personality disorder", the question is asked.
dx_perso_ant	CALC	Specifically, which of the following personality disorders were you diagnosed with by a professional?	0=Not antisocial personality disorder 1=Antisocial personality disorder	All years	
dx_perso_av	CALC	Specifically, which of the following personality disorders were you diagnosed with by a professional?	0=Not avoidant personality disorder 1=Avoidant personality disorder	All years	
dx_perso_b	CALC	Specifically, which of the following personality disorders were you diagnosed with by a professional?	0=Not borderline personality disorder 1=Borderline personality disorder	All years	
dx_perso_d	CALC	Specifically, which of the following personality disorders were you diagnosed with by a professional?	0=Not dependent personality disorder 1=Dependent personality disorder	All years	
dx_perso_h	CALC	Specifically, which of the following personality disorders were you diagnosed with by a professional?	0=Not histrionic personality disorder 1=Histrionic personality disorder	All years	
dx_perso_n	CALC	Specifically, which of the following personality disorders were you diagnosed with by a professional?	0=Not narcissistic personality disorder	All years	

			1=Narcissistic personality disorder		
dx_perso_oc	CALC	Specifically, which of the following personality disorders were you diagnosed with by a professional?	0=Not obsessive-compulsive personality disorder 1=Obsessive-compulsive personality disorder	All years	
dx_perso_p	CALC	Specifically, which of the following personality disorders were you diagnosed with by a professional?	0=Not paranoid personality disorder 1=Paranoid personality disorder	All years	
dx_perso_sd	CALC	Specifically, which of the following personality disorders were you diagnosed with by a professional?	0=Not schizoid personality disorder 1=Schizoid personality disorder	All years	
dx_perso_st	CALC	Specifically, which of the following personality disorders were you diagnosed with by a professional?	0=Not schizotypal personality disorder 1=Schizotypal personality disorder	All years	
dx_perso_o	CALC	Specifically, which of the following personality disorders were you diagnosed with by a professional?	0=Not other personality disorder 1=Other personality disorder	All years	
dx_sa	SURVEY	Specifically, which of the following substance disorders were you diagnosed with by a professional?	1=Alcohol abuse or other alcohol-related disorders 2=Other 3=Don't know	All years	(Select all that apply) Skip logic: If "dx_full" = "Substance abuse disorder", the question is asked. In 2014-2015, the questionnaire read: Specifically, which of the following substance abuse disorders were you diagnosed with by a professional?
dx_sa_al	CALC	Specifically, which of the following substance disorders were you diagnosed with by a professional?	0=Not alcohol abuse or other alcohol-related disorder 1=Alcohol abuse or other alcohol-related disorders	All years	
dx_sa_o	CALC	Specifically, which of the following substance disorders were you diagnosed with by a professional?	0=Not other substance disorder 1=Other substance disorder	All years	
9. Knowledge and beliefs about mental health services					
knowwher	SURVEY	If you needed to seek professional help for your mental or emotional health while attending [insert institution], you would know where to go.	1=Strongly agree 2=Agree 3=Neither agree nor disagree 4=Disagree 5=Strong disagree	All years	

heard	SURVEY	What have you heard from other students about the quality of mental health and psychological counseling services on your campus?	1=I have mostly heard negative opinions 2=I have heard an even mix of negative and positive opinions 3=I have mostly heard positive opinions 4=I haven't heard anything	2010 2011 2012 2013 2014 2014-2015	
txfrf	SURVEY	As far as you know, how many of your close friends or family have ever sought professional help for an emotional or mental health problem?	1=None 2=At least 1 or 2 3=3 or more 4=Don't know	All years	In 2012, 2013, 2014 and 2014-2015, the questionnaire response read: 2=1 or 2
meds_help	SURVEY	How helpful on average do you think medication is, when provided competently, for people your age who are clinically depressed?	1=Very helpful 2=Quite helpful 3=A little helpful 4=Not at all helpful	All years	
ther_help	SURVEY	How helpful on average do you think therapy or counseling is, when provided competently, for people your age who are clinically depressed?	1=Very helpful 2=Quite helpful 3=A little helpful 4=Not at all helpful	All years	
self_men_ill	SURVEY	Please indicate how much you agree with the following statements. - I see myself as a person with mental illness.	1= Strongly agree 2= Agree 3= Somewhat agree 4= Somewhat disagree 5= Disagree 6= Strongly disagree	2014	
men_ill_secret	SURVEY	Please indicate how much you agree with the following statements. - Sometimes I keep my mental illness a secret.	1= Strongly agree 2= Agree 3= Somewhat agree 4= Somewhat disagree 5= Disagree 6= Strongly disagree	2014	Skip logic: If mental= 1, 2 or 3, the question is asked.
men_ill_discl	SURVEY	Please indicate how much you agree with the following statements. - I wish I could disclose to others my mental illness.	1= Strongly agree 2= Agree 3= Somewhat agree 4= Somewhat disagree 5= Disagree 6= Strongly disagree	2014	Skip logic: If mental= 1, 2 or 3, the question is asked.
10. Stigma					
stig_pcv_1	SURVEY	Most people would willingly accept someone who has received mental health treatment as a close friend.	1=Strongly agree 2=Agree 3=Somewhat agree 4=Somewhat disagree 5=Disagree 6=Strongly disagree	All years	Discrimination Devaluation Scale (Link, 1987)
stig_pcv_2	SURVEY	Most people believe that a person who has received mental health treatment is just as intelligent as the average person.	1=Strongly agree 2=Agree 3=Somewhat agree 4=Somewhat disagree	2007	

			5=Disagree 6=Strongly disagree		
stig_pcv_3	SURVEY	Most people believe that someone who has received mental health treatment is just as trustworthy as the average person.	1=Strongly agree 2=Agree 3=Somewhat agree 4=Somewhat disagree 5=Disagree 6=Strongly disagree	2007	
stig_pcv_4	SURVEY	Most people would accept someone who has fully recovered from a mental illness as a teacher of young children in a public school.	1=Strongly agree 2=Agree 3=Somewhat agree 4=Somewhat disagree 5=Disagree 6=Strongly disagree	2007	
stig_pcv_5	SURVEY	Most people feel that receiving mental health treatment is a sign of personal failure.	1=Strongly agree 2=Agree 3=Somewhat agree 4=Somewhat disagree 5=Disagree 6=Strongly disagree	All years	Discrimination Devaluation Scale (Link, 1987)
stig_pcv_6	SURVEY	Most people would not hire someone who has received mental health treatment to take care of their children, even if he or she had been well for some time.	1=Strongly agree 2=Agree 3=Somewhat agree 4=Somewhat disagree 5=Disagree 6=Strongly disagree	2007	
stig_pcv_7	SURVEY	Most people think less of a person who has received mental health treatment.	1=Strongly agree 2=Agree 3=Somewhat agree 4=Somewhat disagree 5=Disagree 6=Strongly disagree	All years	Discrimination Devaluation Scale (Link, 1987)
stig_pcv_8	SURVEY	Most employers will hire someone who has received mental health treatment if he or she is qualified for the job.	1=Strongly agree 2=Agree 3=Somewhat agree 4=Somewhat disagree 5=Disagree 6=Strongly disagree	2007	
stig_pcv_9	SURVEY	Most employers will pass over the application of someone who has received mental health treatment in favor of another applicant.	1=Strongly agree 2=Agree 3=Somewhat agree 4=Somewhat disagree 5=Disagree 6=Strongly disagree	2007	
stig_pcv_10	SURVEY	Most people in my community would treat someone who has received mental health treatment just as they would treat anyone.	1=Strongly agree 2=Agree 3=Somewhat agree 4=Somewhat disagree	2007	

			5=Disagree 6=Strongly disagree		
stig_pcv_11	SURVEY	Most young adults would be reluctant to date someone who has been hospitalized for a serious mental disorder.	1=Strongly agree 2=Agree 3=Somewhat agree 4=Somewhat disagree 5=Disagree 6=Strongly disagree	2007	
stig_pcv_12	SURVEY	Once they know a person has received mental health treatment, most people will take that person's opinions less seriously.	1=Strongly agree 2=Agree 3=Somewhat agree 4=Somewhat disagree 5=Disagree 6=Strongly disagree	2007	
stig_per_1	SURVEY	I would willingly accept someone who has received mental health treatment as a close friend.	1=Strongly agree 2=Agree 3=Somewhat agree 4=Somewhat disagree 5=Disagree 6=Strongly disagree	All years	Discrimination Devaluation Scale (Link, 1987)
stig_per_2	SURVEY	I would think less of a person who has received mental health treatment.	1=Strongly agree 2=Agree 3=Somewhat agree 4=Somewhat disagree 5=Disagree 6=Strongly disagree	All years	Discrimination Devaluation Scale (Link, 1987)
stig_per_3	SURVEY	I believe that someone who has received mental health treatment is just as trustworthy as the average person.	1=Strongly agree 2=Agree 3=Somewhat agree 4=Somewhat disagree 5=Disagree 6=Strongly disagree	2007	
stig_per_4	SURVEY	I feel that receiving mental health treatment is a sign of personal failure.	1=Strongly agree 2=Agree 3=Somewhat agree 4=Somewhat disagree 5=Disagree 6=Strongly disagree	2009 2010 2011 2012 2013 2014-2015	
11. Mental health service utilization					
perneed	SURVEY	In the past 12 months, did you think you needed help for emotional or mental health problems such as feeling sad, blue, anxious or nervous?	1=Yes 2=No 3=Don't know	2007 2009 2010	
perneed_new	SURVEY	In the past 12 months, I needed help for emotional or mental health problems such as feeling sad, blue, anxious or nervous.	1=Strongly agree 2=Agree 3=Neither agree nor disagree 4=Disagree 5=Strongly disagree	2011 2012 2013 2014 2014-2015	

ther_any	SURVEY	In the past 12 months, have you received counseling or therapy for your mental or emotional health from a health professional (such as psychiatrist, psychologist, social worker, or primary care doctor)?	0=No 1=Yes	All years	
ther_cur	SURVEY	Are you currently receiving counseling or therapy?	0=No 1=Yes	All years	Skip logic: If “ther_any” = “yes”, the question is asked.
ther_vis	SURVEY	How many total visits or sessions for counseling or therapy have you had in the past 12 months?	1=1 or 2 2=3-5 3=6-12 4=More than 12	2007	Skip logic: If “ther_any” = “yes”, the question is asked.
ther_vis_new	SURVEY	How many total visits or sessions for counseling or therapy have you had in the past 12 months?	1=1-3 2=4-6 3=7-9 4=10 or more	2009 2010 2011 2012 2013 2014 2014-2015	Skip logic: If “ther_any” = “yes”, the question is asked.
prov	SURVEY	From which of the following places did you receive counseling or therapy?	4 = Psychiatric Emergency Services/Psych Emergency Room (ER) 5 = Inpatient psychiatric hospital 6 = Partial hospitalization program 7 = Provider in the local community (not on campus) 8 = Provider in another location (such as your hometown) 9 = Other 10 = Don't know	2011 2012 2013	(Select all that apply) Skip logic: If “ther_any” = “yes”, the question is asked.
prov_full	SURVEY	From which of the following places did you receive counseling or therapy?	1= [Insert name of institution's student counseling services] 2= [Insert name of institution's campus health services] 3= [List other campus counseling or health service] 4= Psychiatric Emergency Services/Psych Emergency Room (ER) 5= Inpatient psychiatric hospital 6= Partial hospitalization program	2007 2009 2010 2014 2014-2015	(Select all that apply) Skip logic: If “ther_any” = “yes”, the question is asked.

			7= Provider in the local community (not on campus) 8= Provider in another location (such as your hometown) 9= Other 10= Don't know		
prov_4	CALC	From which of the following places did you receive counseling or therapy?	0=Not Psychiatric Emergency Services/Psych Emergency Room (ER) 1=Psychiatric Emergency Services/Psych Emergency Room (ER)	All years	
prov_5	CALC	From which of the following places did you receive counseling or therapy?	0=Not inpatient psychiatric hospital 1=Inpatient psychiatric hospital	All years	
prov_6	CALC	From which of the following places did you receive counseling or therapy?	0=Not partial hospitalization program 1=Partial hospitalization program	All years	
prov_7	CALC	From which of the following places did you receive counseling or therapy?	0=Not provider in the local community (not on campus) 1=Provider in the local community (not on campus)	All years	
prov_8	CALC	From which of the following places did you receive counseling or therapy?	0=Not provider in another location (such as your hometown) 1=Provider in another location (such as your hometown)	All years	
prov_9	CALC	From which of the following places did you receive counseling or therapy?	0=Not other place 1=Other place	All years	
prov_1	CALC	From which of the following places did you receive counseling or therapy?	0=Not institution's student counseling services 1=Institution's student counseling services	2007 2009 2010 2014 2014-2015	
prov_2	CALC	From which of the following places did you receive counseling or therapy?	0=Not institution's campus health services 1=Institution's campus health services	2007 2009 2010 2014 2014-2015	
prov_3	CALC	From which of the following places did you receive counseling or therapy?	0=Not other campus counseling or health service providers 1=Other campus counseling or health service providers	2007 2009 2010 2014 2014-2015	

sat_hours_4	SURVEY	How satisfied/dissatisfied are you with the following aspects of your therapy or counseling that you received in the past 12 months at the Psychiatric Emergency Services/Psych Emergency Room (ER)? - Convenient hours	1= Very dissatisfied 2= Dissatisfied 3 = Somewhat dissatisfied 4 = Somewhat satisfied 5 = Satisfied 6 = Very satisfied	All years	Skip Logic: If “prov” = 4 or “prov_full” = 4, the question is asked.
sat_loc_4	SURVEY	How satisfied/dissatisfied are you with the following aspects of your therapy or counseling that you received in the past 12 months at the Psychiatric Emergency Services/Psych Emergency Room (ER)? - Location	1= Very dissatisfied 2= Dissatisfied 3 = Somewhat dissatisfied 4 = Somewhat satisfied 5 = Satisfied 6 = Very satisfied	All years	Skip Logic: If “prov” = 4 or “prov_full” = 4, the question is asked.
sat_qual_4	SURVEY	How satisfied/dissatisfied are you with the following aspects of your therapy or counseling that you received in the past 12 months at the Psychiatric Emergency Services/Psych Emergency Room (ER)? - Quality of therapists/ counselors	1= Very dissatisfied 2= Dissatisfied 3 = Somewhat dissatisfied 4 = Somewhat satisfied 5 = Satisfied 6 = Very satisfied	All years	Skip Logic: If “prov” = 4 or “prov_full” = 4, the question is asked.
sat_priv_4	SURVEY	How satisfied/dissatisfied are you with the following aspects of your therapy or counseling that you received in the past 12 months at the Psychiatric Emergency Services/Psych Emergency Room (ER)? - Respect for your privacy concerns	1= Very dissatisfied 2= Dissatisfied 3 = Somewhat dissatisfied 4 = Somewhat satisfied 5 = Satisfied 6 = Very satisfied	All years	Skip Logic: If “prov” = 4 or “prov_full” = 4, the question is asked.
sat_sched_4	SURVEY	How satisfied/dissatisfied are you with the following aspects of your therapy or counseling that you received in the past 12 months at the Psychiatric Emergency Services/Psych Emergency Room (ER)? - Ability to schedule appointments without long delays	1= Very dissatisfied 2= Dissatisfied 3 = Somewhat dissatisfied 4 = Somewhat satisfied 5 = Satisfied 6 = Very satisfied	All years	Skip Logic: If “prov” = 4 or “prov_full” = 4, the question is asked.
sat_hours_5	SURVEY	How satisfied/dissatisfied are you with the following aspects of your therapy or counseling that you received in the past 12 months at the inpatient psychiatric hospital? - Convenient hours	1= Very dissatisfied 2= Dissatisfied 3 = Somewhat dissatisfied 4 = Somewhat satisfied 5 = Satisfied 6 = Very satisfied	All years	Skip Logic: If “prov” = 5 or “prov_full” = 5, the question is asked.
sat_loc_5	SURVEY	How satisfied/dissatisfied are you with the following aspects of your therapy or counseling that you received in the past 12 months at the inpatient psychiatric hospital? - Location	1= Very dissatisfied 2= Dissatisfied 3 = Somewhat dissatisfied 4 = Somewhat satisfied 5 = Satisfied 6 = Very satisfied	All years	Skip Logic: If “prov” = 5 or “prov_full” = 5, the question is asked.

sat_qual_5	SURVEY	How satisfied/dissatisfied are you with the following aspects of your therapy or counseling that you received in the past 12 months at the inpatient psychiatric hospital? - Quality of therapists/ counselors	1= Very dissatisfied 2= Dissatisfied 3 = Somewhat dissatisfied 4 = Somewhat satisfied 5 = Satisfied 6 = Very satisfied	All years	Skip Logic: If “prov” = 5 or “prov_full” = 5, the question is asked.
sat_priv_5	SURVEY	How satisfied/dissatisfied are you with the following aspects of your therapy or counseling that you received in the past 12 months at the inpatient psychiatric hospital? - Respect for your privacy concerns	1= Very dissatisfied 2= Dissatisfied 3 = Somewhat dissatisfied 4 = Somewhat satisfied 5 = Satisfied 6 = Very satisfied	All years	Skip Logic: If “prov” = 5 or “prov_full” = 5, the question is asked.
sat_sched_5	SURVEY	How satisfied/dissatisfied are you with the following aspects of your therapy or counseling that you received in the past 12 months at the inpatient psychiatric hospital? - Ability to schedule appointments without long delays	1= Very dissatisfied 2= Dissatisfied 3 = Somewhat dissatisfied 4 = Somewhat satisfied 5 = Satisfied 6 = Very satisfied	All years	Skip Logic: If “prov” = 5 or “prov_full” = 5, the question is asked.
sat_hours_6	SURVEY	How satisfied/dissatisfied are you with the following aspects of your therapy or counseling that you received in the past 12 months at the partial hospitalization program? - Convenient hours	1= Very dissatisfied 2= Dissatisfied 3 = Somewhat dissatisfied 4 = Somewhat satisfied 5 = Satisfied 6 = Very satisfied	All years	Skip Logic: If “prov” = 6 or “prov_full” = 6, the question is asked.
sat_loc_6	SURVEY	How satisfied/dissatisfied are you with the following aspects of your therapy or counseling that you received in the past 12 months at the partial hospitalization program? - Location	1= Very dissatisfied 2= Dissatisfied 3 = Somewhat dissatisfied 4 = Somewhat satisfied 5 = Satisfied 6 = Very satisfied	All years	Skip Logic: If “prov” = 6 or “prov_full” = 6, the question is asked.
sat_qual_6	SURVEY	How satisfied/dissatisfied are you with the following aspects of your therapy or counseling that you received in the past 12 months at the partial hospitalization program? - Quality of therapists/counselors	1= Very dissatisfied 2= Dissatisfied 3 = Somewhat dissatisfied 4 = Somewhat satisfied 5 = Satisfied 6 = Very satisfied	All years	Skip Logic: If “prov” = 6 or “prov_full” = 6, the question is asked.
sat_priv_6	SURVEY	How satisfied/dissatisfied are you with the following aspects of your therapy or counseling that you received in the past 12 months at the partial hospitalization program? - Respect for your privacy concerns	1= Very dissatisfied 2= Dissatisfied 3 = Somewhat dissatisfied 4 = Somewhat satisfied 5 = Satisfied 6 = Very satisfied	All years	Skip Logic: If “prov” = 6 or “prov_full” = 6, the question is asked.
sat_sched_6	SURVEY	How satisfied/dissatisfied are you with the following aspects of your therapy or counseling that you received in the past 12 months at the partial hospitalization program?	1= Very dissatisfied 2= Dissatisfied 3 = Somewhat dissatisfied 4 = Somewhat satisfied 5 = Satisfied	All years	Skip Logic: If “prov” = 6 or “prov_full” = 6, the question is asked.

		- Ability to schedule appointments without long delays	6 = Very satisfied		
sat_hours_7	SURVEY	How satisfied/dissatisfied are you with the following aspects of your therapy or counseling that you received in the past 12 months at your provider in the local community (not on campus)? - Convenient hours	1= Very dissatisfied 2= Dissatisfied 3 = Somewhat dissatisfied 4 = Somewhat satisfied 5 = Satisfied 6 = Very satisfied	All years	Skip Logic: If “prov” = 7 or “prov_full” = 7, the question is asked.
sat_loc_7	SURVEY	How satisfied/dissatisfied are you with the following aspects of your therapy or counseling that you received in the past 12 months at your provider in the local community (not on campus)? - Location	1= Very dissatisfied 2= Dissatisfied 3 = Somewhat dissatisfied 4 = Somewhat satisfied 5 = Satisfied 6 = Very satisfied	All years	Skip Logic: If “prov” = 7 or “prov_full” = 7, the question is asked.
sat_qual_7	SURVEY	How satisfied/dissatisfied are you with the following aspects of your therapy or counseling that you received in the past 12 months at your provider in the local community (not on campus)? - Quality of therapists/counselors	1= Very dissatisfied 2= Dissatisfied 3 = Somewhat dissatisfied 4 = Somewhat satisfied 5 = Satisfied 6 = Very satisfied	All years	Skip Logic: If “prov” = 7 or “prov_full” = 7, the question is asked.
sat_priv_7	SURVEY	How satisfied/dissatisfied are you with the following aspects of your therapy or counseling that you received in the past 12 months at your provider in the local community (not on campus)? - Respect for your privacy concerns	1= Very dissatisfied 2= Dissatisfied 3 = Somewhat dissatisfied 4 = Somewhat satisfied 5 = Satisfied 6 = Very satisfied	All years	Skip Logic: If “prov” = 7 or “prov_full” = 7, the question is asked.
sat_sched_7	SURVEY	How satisfied/dissatisfied are you with the following aspects of your therapy or counseling that you received in the past 12 months at your provider in the local community (not on campus)? - Ability to schedule appointments without long delays	1= Very dissatisfied 2= Dissatisfied 3 = Somewhat dissatisfied 4 = Somewhat satisfied 5 = Satisfied 6 = Very satisfied	All years	Skip Logic: If “prov” = 7 or “prov_full” = 7, the question is asked.
sat_hours_8	SURVEY	How satisfied/dissatisfied are you with the following aspects of your therapy or counseling that you received in the past 12 months at your provider in another location (such as your hometown)? - Convenient hours	1= Very dissatisfied 2= Dissatisfied 3 = Somewhat dissatisfied 4 = Somewhat satisfied 5 = Satisfied 6 = Very satisfied	All years	Skip Logic: If “prov” = 8 or “prov_full” = 8, the question is asked.
sat_loc_8	SURVEY	How satisfied/dissatisfied are you with the following aspects of your therapy or counseling that you received in the past 12 months at your provider in another location (such as your hometown)? - Location	1= Very dissatisfied 2= Dissatisfied 3 = Somewhat dissatisfied 4 = Somewhat satisfied 5 = Satisfied 6 = Very satisfied	All years	Skip Logic: If “prov” = 8 or “prov_full” = 8, the question is asked.
sat_qual_8	SURVEY	How satisfied/dissatisfied are you with the following aspects of your therapy or counseling that you received in the past	1= Very dissatisfied 2= Dissatisfied 3 = Somewhat dissatisfied	All years	Skip Logic: If “prov” = 8 or “prov_full” = 8, the question is asked.

		12 months at your provider in another location (such as your hometown)? - Quality of therapists/counselors	4 = Somewhat satisfied 5 = Satisfied 6 = Very satisfied		
sat_priv_8	SURVEY	How satisfied/dissatisfied are you with the following aspects of your therapy or counseling that you received in the past 12 months at your provider in another location (such as your hometown)? - Respect for your privacy concerns	1= Very dissatisfied 2= Dissatisfied 3 = Somewhat dissatisfied 4 = Somewhat satisfied 5 = Satisfied 6 = Very satisfied	All years	Skip Logic: If “prov” = 8 or “prov_full” = 8, the question is asked.
sat_sched_8	SURVEY	How satisfied/dissatisfied are you with the following aspects of your therapy or counseling that you received in the past 12 months at your provider in another location (such as your hometown)? - Ability to schedule appointments without long delays	1= Very dissatisfied 2= Dissatisfied 3 = Somewhat dissatisfied 4 = Somewhat satisfied 5 = Satisfied 6 = Very satisfied	All years	Skip Logic: If “prov” = 8 or “prov_full” = 8, the question is asked.
sat_hours_9	SURVEY	How satisfied/dissatisfied are you with the following aspects of your therapy or counseling that you received in the past 12 months at other? - Convenient hours	1= Very dissatisfied 2= Dissatisfied 3 = Somewhat dissatisfied 4 = Somewhat satisfied 5 = Satisfied 6 = Very satisfied	All years	Skip Logic: If “prov” = 9 or “prov_full” = 9, the question is asked.
sat_loc_9	SURVEY	How satisfied/dissatisfied are you with the following aspects of your therapy or counseling that you received in the past 12 months at other? - Location	1= Very dissatisfied 2= Dissatisfied 3 = Somewhat dissatisfied 4 = Somewhat satisfied 5 = Satisfied 6 = Very satisfied	All years	Skip Logic: If “prov” = 9 or “prov_full” = 9, the question is asked.
sat_qual_9	SURVEY	How satisfied/dissatisfied are you with the following aspects of your therapy or counseling that you received in the past 12 months at other? - Quality of therapists/counselors	1= Very dissatisfied 2= Dissatisfied 3 = Somewhat dissatisfied 4 = Somewhat satisfied 5 = Satisfied 6 = Very satisfied	All years	Skip Logic: If “prov” = 9 or “prov_full” = 9, the question is asked.
sat_priv_9	SURVEY	How satisfied/dissatisfied are you with the following aspects of your therapy or counseling that you received in the past 12 months at other? - Respect for your privacy concerns	1= Very dissatisfied 2= Dissatisfied 3 = Somewhat dissatisfied 4 = Somewhat satisfied 5 = Satisfied 6 = Very satisfied	All years	Skip Logic: If “prov” = 9 or “prov_full” = 9, the question is asked.
sat_sched_9	SURVEY	How satisfied/dissatisfied are you with the following aspects of your therapy or counseling that you received in the past 12 months at other? - Ability to schedule appointments without long delays	1= Very dissatisfied 2= Dissatisfied 3 = Somewhat dissatisfied 4 = Somewhat satisfied 5 = Satisfied 6 = Very satisfied	All years	Skip Logic: If “prov” = 9 or “prov_full” = 9, the question is asked.
sat_hours_1	SURVEY	How satisfied/dissatisfied are you with the following aspects of your therapy or	1= Very dissatisfied 2= Dissatisfied	2007 2009	Skip Logic: If “prov_full” = 1, the question is asked.

		counseling that you received in the past 12 months at the [name of institution's student counseling services]? - Convenient hours	3 = Somewhat dissatisfied 4 = Somewhat satisfied 5 = Satisfied 6 = Very satisfied	2010 2014 2014-2015	
sat_loc_1	SURVEY	How satisfied/dissatisfied are you with the following aspects of your therapy or counseling that you received in the past 12 months at the [name of institution's student counseling services]? - Location	1= Very dissatisfied 2= Dissatisfied 3 = Somewhat dissatisfied 4 = Somewhat satisfied 5 = Satisfied 6 = Very satisfied	2007 2009 2010 2014 2014-2015	Skip Logic: If "prov_full" = 1, the question is asked.
sat_qual_1	SURVEY	How satisfied/dissatisfied are you with the following aspects of your therapy or counseling that you received in the past 12 months at the [name of institution's student counseling services]? - Quality of therapists/counselors	1= Very dissatisfied 2= Dissatisfied 3 = Somewhat dissatisfied 4 = Somewhat satisfied 5 = Satisfied 6 = Very satisfied	2007 2009 2010 2014 2014-2015	Skip Logic: If "prov_full" = 1, the question is asked.
sat_priv_1	SURVEY	How satisfied/dissatisfied are you with the following aspects of your therapy or counseling that you received in the past 12 months at the [name of institution's student counseling services]? - Respect for your privacy concerns	1= Very dissatisfied 2= Dissatisfied 3 = Somewhat dissatisfied 4 = Somewhat satisfied 5 = Satisfied 6 = Very satisfied	2007 2009 2010 2014 2014-2015	Skip Logic: If "prov_full" = 1, the question is asked.
sat_sched_1	SURVEY	How satisfied/dissatisfied are you with the following aspects of your therapy or counseling that you received in the past 12 months at the [name of institution's student counseling services]? - Ability to schedule appointments without long delays	1= Very dissatisfied 2= Dissatisfied 3 = Somewhat dissatisfied 4 = Somewhat satisfied 5 = Satisfied 6 = Very satisfied	2007 2009 2010 2014 2014-2015	Skip Logic: If "prov_full" = 1, the question is asked.
sat_hours_2	SURVEY	How satisfied/dissatisfied are you with the following aspects of your therapy or counseling that you received in the past 12 months at the [name of institution's campus health services]? - Convenient hours	1= Very dissatisfied 2= Dissatisfied 3 = Somewhat dissatisfied 4 = Somewhat satisfied 5 = Satisfied 6 = Very satisfied	2007 2009 2010 2014 2014-2015	Skip Logic: If "prov_full" = 2, the question is asked.
sat_loc_2	SURVEY	How satisfied/dissatisfied are you with the following aspects of your therapy or counseling that you received in the past 12 months at the [name of institution's campus health services]? - Location	1= Very dissatisfied 2= Dissatisfied 3 = Somewhat dissatisfied 4 = Somewhat satisfied 5 = Satisfied 6 = Very satisfied	2007 2009 2010 2014 2014-2015	Skip Logic: If "prov_full" = 2, the question is asked.
sat_qual_2	SURVEY	How satisfied/dissatisfied are you with the following aspects of your therapy or counseling that you received in the past 12 months at the [name of institution's campus health services]? - Quality of therapists/counselors	1= Very dissatisfied 2= Dissatisfied 3 = Somewhat dissatisfied 4 = Somewhat satisfied 5 = Satisfied 6 = Very satisfied	2007 2009 2010 2014 2014-2015	Skip Logic: If "prov_full" = 2, the question is asked.

sat_priv_2	SURVEY	How satisfied/dissatisfied are you with the following aspects of your therapy or counseling that you received in the past 12 months at the [name of institution's campus health services]? - Respect for your privacy concerns	1= Very dissatisfied 2= Dissatisfied 3 = Somewhat dissatisfied 4 = Somewhat satisfied 5 = Satisfied 6 = Very satisfied	2007 2009 2010 2014 2014-2015	Skip Logic: If "prov_full" = 2, the question is asked.
sat_sched_2	SURVEY	How satisfied/dissatisfied are you with the following aspects of your therapy or counseling that you received in the past 12 months at the [name of institution's campus health services]? - Ability to schedule appointments without long delays	1= Very dissatisfied 2= Dissatisfied 3 = Somewhat dissatisfied 4 = Somewhat satisfied 5 = Satisfied 6 = Very satisfied	2007 2009 2010 2014 2014-2015	Skip Logic: If "prov_full" = 2, the question is asked.
sat_hours_3	SURVEY	How satisfied/dissatisfied are you with the following aspects of your therapy or counseling that you received in the past 12 months at the [other campus counselling or health service]? - Convenient hours	1= Very dissatisfied 2= Dissatisfied 3 = Somewhat dissatisfied 4 = Somewhat satisfied 5 = Satisfied 6 = Very satisfied	2007 2009 2010 2014 2014-2015	Skip Logic: If "prov_full" = 3, the question is asked.
sat_loc_3	SURVEY	How satisfied/dissatisfied are you with the following aspects of your therapy or counseling that you received in the past 12 months at the [other campus counselling or health service]? - Location	1= Very dissatisfied 2= Dissatisfied 3 = Somewhat dissatisfied 4 = Somewhat satisfied 5 = Satisfied 6 = Very satisfied	2007 2009 2010 2014 2014-2015	Skip Logic: If "prov_full" = 3, the question is asked.
sat_qual_3	SURVEY	How satisfied/dissatisfied are you with the following aspects of your therapy or counseling that you received in the past 12 months at the [other campus counselling or health service]? - Quality of therapists/counselors	1= Very dissatisfied 2= Dissatisfied 3 = Somewhat dissatisfied 4 = Somewhat satisfied 5 = Satisfied 6 = Very satisfied	2007 2009 2010 2014 2014-2015	Skip Logic: If "prov_full" = 3, the question is asked.
sat_priv_3	SURVEY	How satisfied/dissatisfied are you with the following aspects of your therapy or counseling that you received in the past 12 months at the [other campus counselling or health service]? - Respect for your privacy concerns	1= Very dissatisfied 2= Dissatisfied 3 = Somewhat dissatisfied 4 = Somewhat satisfied 5 = Satisfied 6 = Very satisfied	2007 2009 2010 2014 2014-2015	Skip Logic: If "prov_full" = 3, the question is asked.
sat_sched_3	SURVEY	How satisfied/dissatisfied are you with the following aspects of your therapy or counseling that you received in the past 12 months at the [other campus counselling or health service]? - Ability to schedule appointments without long delays	1= Very dissatisfied 2= Dissatisfied 3 = Somewhat dissatisfied 4 = Somewhat satisfied 5 = Satisfied 6 = Very satisfied	2007 2009 2010 2014 2014-2015	Skip Logic: If "prov_full" = 3, the question is asked.
prov_dk	SURVEY	From which of the following places did you receive counseling or therapy?	0=Not don't know 1=Don't know	All years	
anyprovi	SURVEY	In the past 12 months, have you visited any medical provider, such as a	1=Yes 2=No	2007 2009	In 2011, 2012 and 2014 the questionnaire read: In the past

		primary care doctor or other type of doctor, for a check-up or any other health reasons?	3=Don't know	2010 2011 2012	12 months, have you visited any medical provider, such as a primary care doctor or other type of doctor, for a check-up or any other medical reasons?
anyprovi_new	SURVEY	In the past 12 months, have you visited any medical provider, such as a primary care doctor or other type of doctor, for a check-up or any other medical reasons?	0=No 1=Yes	2013 2014 2014-2015	In 2014-2015, the questionnaire response read: 0= No 1=Yes 2= Don't know
meds_full	SURVEY	In the past 12 months have you taken any of the following types of prescription medications? <i>Please count only those you took, or are taking, several times per week.</i>	1=Psychostimulants (e.g., methylphenidate (Ritalin or Concerta), amphetamine salts (Adderall), dextroamphetamine (Dexedrine), etc.) 2=Antidepressants (e.g., fluoxetine (Prozac), sertraline (Zoloft), paroxetine (Paxil), escitalopram (Lexapro), venlafaxine (Effexor), bupropion (Wellbutrin), etc.) 3=Anti-psychotics (e.g., haloperidol (Haldol), clozapine (Clozaril), risperidone (Risperdal), olanzapine (Zyprexa), etc.) 4=Anti-anxiety medications (e.g., lorazepam (Ativan), clonazepam (Klonopin), alprazolam (Xanax), buspirone (BuSpar), etc.) 5=Mood stabilizers (e.g., lithium, valproate (Depakote), lamotrigine (Lamictal), carbamazepine (Tegretol), etc.) 6=Sleep medications (e.g., zolpidem (Ambien), zaleplon (Sonata), etc.) 7=Other 8=None 9=Don't know	All years	(Select all that apply) In 2011, 2012, and 2013 the questionnaire read: In the past 12 months have you taken any of the following types of medications? Please count only those you took, or are taking, several times per week. In 2011, 2012, and 2013, the questionnaire read: 7 = Other medication for mental or emotional health In 2014-2015, the questionnaire response read: 8= No, none of these
meds_any	CALC	In the past 12 months have you taken any of the following types of prescription medications? <i>Please count only those you took, or are taking, several times per week.</i>	0=None 1=Any	All years	In 2012, the questionnaire read: In the past 12 months have you taken any of the following types of medications? Please count

					only those you took, or are taking, several times per week
meds_sti	CALC	In the past 12 months have you taken any of the following types of prescription medications? <i>Please count only those you took, or are taking, several times per week.</i>	0=Not psychostimulants (e.g., methylphenidate (Ritalin or Concerta), amphetamine salts (Adderall), dextroamphetamine (Dexedrine), etc.) 1=Psychostimulants (e.g., methylphenidate (Ritalin or Concerta), amphetamine salts (Adderall), dextroamphetamine (Dexedrine), etc.)	All years	
meds_dep	CALC	In the past 12 months have you taken any of the following types of prescription medications? <i>Please count only those you took, or are taking, several times per week.</i>	0=Not antidepressants (e.g., fluoxetine (Prozac), sertraline (Zoloft), paroxetine (Paxil), escitalopram (Lexapro), venlafaxine (Effexor), bupropion (Wellbutrin), etc.) 1=Antidepressants (e.g., fluoxetine (Prozac), sertraline (Zoloft), paroxetine (Paxil), escitalopram (Lexapro), venlafaxine (Effexor), bupropion (Wellbutrin), etc.)	All years	
meds_psy	CALC	In the past 12 months have you taken any of the following types of prescription medications? <i>Please count only those you took, or are taking, several times per week.</i>	0=Not anti-psychotics (e.g., haloperidol (Haldol), clozapine (Clozaril), risperidone (Risperdal), olanzapine (Zyprexa), etc.) 1=Anti-psychotics (e.g., haloperidol (Haldol), clozapine (Clozaril), risperidone (Risperdal), olanzapine (Zyprexa), etc.)	All years	
meds_anx	CALC	In the past 12 months have you taken any of the following types of prescription medications? <i>Please count only those you took, or are taking, several times per week.</i>	0=Not anti-anxiety medications (e.g., lorazepam (Ativan), clonazepam (Klonopin), (Xanax), buspirone (BuSpar), etc.) 1=Anti-anxiety medications (e.g., lorazepam (Ativan), clonazepam (Klonopin), alprazolam (Xanax), buspirone (BuSpar), etc.)	All years	
meds_moo	CALC	In the past 12 months have you taken any of the following types of prescription medications? <i>Please count</i>	0=Not mood stabilizers (e.g., lithium, valproate (Depakote), lamotrigine (Lamictal),	All years	

		<i>only those you took, or are taking, several times per week.</i>	carbamazapine (Tegretol), etc.) 1=Mood stabilizers (e.g., lithium, valproate (Depakote), lamotrigine (Lamictal), carbamazapine (Tegretol), etc.)		
meds_sle	CALC	In the past 12 months have you taken any of the following types of prescription medications? <i>Please count only those you took, or are taking, several times per week.</i>	0=Not sleep medications (e.g., zolpidem (Ambien), zaleplon (Sonata), etc.) 1=Sleep medications (e.g., zolpidem (Ambien), zaleplon (Sonata), etc.)	All years	
meds_oth	CALC	In the past 12 months have you taken any of the following types of prescription medications? <i>Please count only those you took, or are taking, several times per week.</i>	0=Not other medication 1=Other medication	All years	
meds_cur_any	CALC	Of the medication(s) you just noted, which are you <i>currently</i> taking?	0=None 1=Any	2007 2009 2010 2011 2012 2013	Skip logic: If “meds_full” = any response 1-7, the question is asked.
meds_cur_full	SURVEY	Of the medication(s) you just noted, which are you currently taking?	1=Psychostimulants (e.g., methylphenidate (Ritalin or Concerta), amphetamine salts (Adderall), dextroamphetamine (Dexedrine), etc.) 2=Antidepressants (e.g., fluoxetine (Prozac), sertraline (Zoloft), paroxetine (Paxil), escitalopram (Lexapro), venlafaxine (Effexor), bupropion (Wellbutrin), etc.) 3=Anti-psychotics (e.g., haloperidol (Haldol), clozapine (Clozaril), risperidone (Risperdal), olanzapine (Zyprexa), etc.) 4=Anti-anxiety medications (e.g., lorazepam (Ativan), clonazepam (Klonopin), alprazolam (Xanax), buspirone (BuSpar), etc.) 5=Mood stabilizers (e.g., lithium, valproate (Depakote), lamotrigine (Lamictal),	All years	(Select all that apply) In 2007, 2012, 2013, 2014 and 2014-2015, the questionnaire read: 7= Other medication for mental or emotional health 8=None of the above 9 is not included Skip logic: If “meds_full” = any response 1-7, the question is asked.

			carbamazapine (Tegretol), etc.) 6=Sleep medication (e.g., zolpidem (Ambien), zaleplon (Sonata), etc.) 7=Other 8=None 9=Don't know		
meds_cur_sti	CALC	Of the medication(s) you just noted, which are you currently taking?	0=Not psychostimulants (e.g., methylphenidate (Ritalin or Concerta), amphetamine salts (Adderall), dextroamphetamine (Dexedrine), etc.) 1=Psychostimulants (e.g., methylphenidate (Ritalin or Concerta), amphetamine salts (Adderall), dextroamphetamine (Dexedrine), etc.)	2009 2010 2011 2012 2013 2014 2014-2015	
meds_cur_dep	CALC	Of the medication(s) you just noted, which are you currently taking?	0=Not antidepressants (e.g., fluoxetine (Prozac), sertraline (Zoloft), paroxetine (Paxil), escitalopram (Lexapro), venlafaxine (Effexor), bupropion (Wellbutrin), etc.) 1=Antidepressants (e.g., fluoxetine (Prozac), sertraline (Zoloft), paroxetine (Paxil), escitalopram (Lexapro), venlafaxine (Effexor), bupropion (Wellbutrin), etc.)	2009 2010 2011 2012 2013 2014 2014-2015	
meds_cur_psy	CALC	Of the medication(s) you just noted, which are you currently taking?	0=Not anti-psychotics (e.g., haloperidol (Haldol), clozapine (Clozaril), risperidone (Risperdal), olanzapine (Zyprexa), etc.) 1=Anti-psychotics (e.g., haloperidol (Haldol), clozapine (Clozaril), risperidone (Risperdal), olanzapine (Zyprexa), etc.)	2009 2010 2011 2012 2013 2014 2014-2015	
meds_cur_anx	CALC	Of the medication(s) you just noted, which are you currently taking?	0=Not anti-anxiety medications (e.g., lorazepam (Ativan), clonazepam (Klonopin), (Xanax), buspirone (BuSpar), etc.) 1=Anti-anxiety medications (e.g., lorazepam (Ativan),	2009 2010 2011 2012 2013 2014 2014-2015	

			clonazepam (Klonopin), alprazolam(Xanax), buspirone (BuSpar), etc.)		
meds_cur_moo	CALC	Of the medication(s) you just noted, which are you currently taking?	0=Not mood stabilizers (e.g., lithium, valproate (Depakote), lamotrigine (Lamictal), carbamazapine (Tegretol), etc.) 1=Mood stabilizers (e.g., lithium, valproate (Depakote), lamotrigine (Lamictal), carbamazapine (Tegretol), etc.)	2009 2010 2011 2012 2013 2014 2014-2015	
meds_cur_sle	CALC	Of the medication(s) you just noted, which are you currently taking?	0=Not sleep medications (e.g., zolpidem (Ambien), zaleplon (Sonata), etc.) 1=Sleep medications (e.g., zolpidem (Ambien), zaleplon (Sonata), etc.)	2009 2010 2011 2012 2013 2014 2014-2015	
meds_cur_oth	CALC	Of the medication(s) you just noted, which are you currently taking?	0=Not other medication 1=Other medication	2009 2010 2011 2012 2013 2014 2014-2015	
meds_cur_none	CALC	Of the medication(s) you just noted, which are you currently taking?	0=Not none 1=None	All years	
meds_time_sti	SURVEY	During the past year, for how long, in total, have you taken the following medication you just noted: - Psychostimulants (e.g., methylphenidate (Ritalin or Concerta), amphetamine salts (Adderall), dextroamphetamine (Dexedrine), etc.)	1=Less than 1 month 2=Between 1 and 2 months 3=2 months or more	2009 2010 2011 2012 2013 2014 2014-2015	Skip logic: If “meds_full” = “Psychostimulants”, the question is asked.
meds_time_dep	SURVEY	During the past year, for how long, in total, have you taken the following medication you just noted: - Antidepressants (e.g., fluoxetine (Prozac), sertraline (Zoloft), paroxetine (Paxil), escitalopram (Lexapro), venlafaxine (Effexor), bupropion (Wellbutrin), etc.)	1=Less than 1 month 2=Between 1 and 2 months 3=2 months or more	2009 2010 2011 2012 2013 2014 2014-2015	Skip logic: If “meds_full” = “Antidepressants”, the question is asked.
meds_time_psy	SURVEY	During the past year, for how long, in total, have you taken the following medication you just noted:	1=Less than 1 month 2=Between 1 and 2 months 3=2 months or more	2009 2010 2011 2012	Skip logic: If “meds_full” = “Anti-psychotics”, the question is asked.

		- Anti-psychotics (e.g., haloperidol (Haldol), clozapine (Clozaril), risperidone (Risperdal), olanzapine (Zyprexa), etc.)		2013 2014 2014-2015	
meds_time_anx	SURVEY	During the past year, for how long, in total, have you taken the following medication you just noted: - Anti-anxiety medications (e.g., lorazepam (Ativan), clonazepam (Klonopin), (Xanax), buspirone (BuSpar), etc.)	1=Less than 1 month 2=Between 1 and 2 months 3=2 months or more	2009 2010 2011 2012 2013 2014 2014-2015	Skip logic: If “meds_full” = “Anti-anxiety medications”, the question is asked.
meds_time_moo	SURVEY	During the past year, for how long, in total, have you taken the following medication you just noted: - Mood stabilizers (e.g., lithium, valproate (Depakote), lamotrigine (Lamictal), carbamazapine (Tegretol), etc.)	1=Less than 1 month 2=Between 1 and 2 months 3=2 months or more	2009 2010 2011 2012 2013 2014 2014-2015	Skip logic: If “meds_full” = “Mood stabilizers”, the question is asked.
meds_time_sle	SURVEY	During the past year, for how long, in total, have you taken the following medication you just noted: - Sleep medication (e.g., zolpidem (Ambien), zaleplon (Sonata), etc.)	1=Less than 1 month 2=Between 1 and 2 months 3=2 months or more	2009 2010 2011 2012 2013 2014 2014-2015	Skip logic: If “meds_full” = “Sleep medication”, the question is asked.
meds_time_oth	SURVEY	During the past year, for how long, in total, have you taken the following medication you just noted: - Other	1=Less than 1 month 2=Between 1 and 2 months 3=2 months or more	2009 2010 2011 2012 2013 2014 2014-2015	Skip logic: If “meds_full” = “other”, the question is asked. In 2013, 2014 and 2014-2015, the questionnaire read: Other medication for mental or emotional health
meds_w_full	SURVEY	Who wrote your most recent prescription for the medication(s) you noted in the last question?	1=A general practitioner, nurse practitioner, or primary care physician 2=A psychiatrist 3=Other type of doctor 4=Took the medication(s) without a prescription 5=Don't know	All years	(Select all that apply) Skip logic: If “meds_full” = any one of 1-7, the question is asked. In 2013 and 2014-2015, the questionnaire response read: 3= Other type of doctor
meds_w_g	CALC	Who wrote your most recent prescription for the medication(s) you noted in the last question?	0=Not a general practitioner, nurse practitioner, or primary care physician 1=A general practitioner, nurse practitioner, or primary care physician	All years	

meds_w_p	CALC	Who wrote your most recent prescription for the medication(s) you noted in the last question?	0=Not a psychiatrist 1=A psychiatrist	All years	
meds_w_o	CALC	Who wrote your most recent prescription for the medication(s) you noted in the last question?	0=Not other type of doctor 1=Other type of doctor	All years	
meds_w_n	CALC	Who wrote your most recent prescription for the medication(s) you noted in the last question?	0=Not took the medication(s) without a prescription 1=Took the medication(s) without a prescription	All years	
meds_w_d	CALC	Who wrote your most recent prescription for the medication(s) you noted in the last question?	0=Not don't know 1=Don't know	All years	
meds_dis	SURVEY	In the past 12 months how many times have you discussed with a doctor or other health professional your use of the medication(s) you just noted?	1=Not at all 2=1-2 times 3=3-5 times 4=More than 5 times 5=Don't know	All years	(Select all that apply) Skip logic: If "meds_full" = any one of 1-7, the question is asked.
chronic	SURVEY	Have you ever been diagnosed with any of the following health conditions, which required ongoing treatment by a health care professional (i.e. chronic diseases)?	1= Diabetes 2=High blood pressure 3=Asthma 4=Thyroid Disease (hypothyroid or hyperthyroid) 5=Obesity 6=Gastrointestinal Disease (Chron's Disease, Ulcerative Colitis) 7=Arthritis 8=Sickle Cell Anemia 9=Seizure Disorders (e.g. epilepsy) 10=Cancers 11=High Cholesterol 12=Other chronic diseases 13=No, never been diagnosed with a chronic disease 14=Don't know	2013	(Select all that apply)
chronic_vis	SURVEY	In the past 12 months, have you visited any medical care provider, such as a primary care provider, for any previous chronic or ongoing medical problems?	1=Yes 2=No 3=Don't know	2013 2014-2015	Skip logic: If "chronic" = any 1-12, the question is asked. In 2014-2015, this questionnaire is asked by itself, not connected with any other questionnaire
chronic_vis_mh	SURVEY	During a chronic or primary care health visit in the past 12 months, have you discussed your mental or emotional health status with a primary care	1=Yes 2=No 3=Don't know	2013	Skip logic: If "(question above)" = "yes", the question is asked.

		provider (someone other than a mental health professional)?			
12. Informal help-seeking/support					
inf_frie	CALC	In the past 12 months have you received counseling or support for your mental or emotional health from any of the following sources?	0=Not friend 1=Friend	2007	
inf_fr	CALC	In the past 12 months have you received counseling or support for your mental or emotional health from any of the following sources?	0=Not friend (who is not a roommate) 1=Friend (who is not a roommate)	2009 2010 2011 2012 2013	
inf_fam	CALC	In the past 12 months have you received counseling or support for your mental or emotional health from any of the following sources?	0=Not family member 1=Family member	All years	
inf_rel	CALC	In the past 12 months have you received counseling or support for your mental or emotional health from any of the following sources?	0=Not religious counselor or other religious contact 1=Religious counselor or other religious contact	All years	
inf_sup	CALC	In the past 12 months have you received counseling or support for your mental or emotional health from any of the following sources?	0=Not support group 1=Support group	All years	
inf_oth	CALC	In the past 12 months have you received counseling or support for your mental or emotional health from any of the following sources?	0=Not other non-clinical source 1=Other non-clinical source	All years	
inf_any	CALC	In the past 12 months have you received counseling or support for your mental or emotional health from any of the following sources?	0=No informal support 1=Any informal support	All years	
inf_rm	CALC	In the past 12 months have you received counseling or support for your mental or emotional health from any of the following sources?	0=Not roommate 1=Roommate	2009 2010 2011 2012 2013	
inf_none	CALC	In the past 12 months have you received counseling or support for your mental or emotional health from any of the following sources?	0=Not no informal support 1=No informal support	2010 2011 2012 2013	
inf_sig	CALC	In the past 12 months have you received counseling or support for your mental or emotional health from any of the following sources?	0=Not significant other 1=Significant other	2010 2011 2012 2013	
inf	SURVEY	In the past 12 months have you received counseling or support for your	1 =Roommate	All years	(Select all that apply)

		mental or emotional health from any of the following sources?	2= Friend (who is not a roommate) 3 = Significant other 4= Family member 5= Religious counselor or other religious contact 6= Support group 7= Other non-clinical source 8= No one		
sup_fam	SURVEY	I get the emotional help and support I need from my family.	1= Very strongly disagree 2= Strongly disagree 3= Mildly disagree 4= Neutral 5= Mildly agree 6= Strongly agree 7= Very strongly disagree	2007 2009 2010	We are interested in how you feel about the following statements. Please indicate how you feel about each statement.
sup_fam_new	SURVEY	I get the emotional help and support I need from my family.	1=Strongly disagree 2=Somewhat disagree 3=Neutral 4=Somewhat agree 5=Strongly agree	2011 2012 2013 2014 2014-2015	We are interested in how you feel about the following statements. Please indicate how you feel about each statement.
sup_frn	SURVEY	My friends really try to help me.	1= Very strongly disagree 2= Strongly disagree 3= Mildly disagree 4= Neutral 5= Mildly agree 6= Strongly agree 7= Very strongly disagree	2007 2009 2010	We are interested in how you feel about the following statements. Please indicate how you feel about each statement.
sup_frn_new	SURVEY	My friends really try to help me.	1=Strongly disagree 2=Somewhat disagree 3=Neutral 4=Somewhat agree 5=Strongly agree	2011 2012 2013 2014 2014-2015	We are interested in how you feel about the following statements. Please indicate how you feel about each statement.
dep_sup	SURVEY	How supportive do you think your major department(s) is (are) about mental or emotional health? (This might include discussing mental health issues with students, making resources available, etc.)	1=Very supportive 2=Supportive 3=Not supportive 4=Very unsupportive 5=Not sure/don't know 6=Not applicable--I do not have a major department	2007 2009	
talk_pr	SURVEY	During this semester so far, about how often have you had a one-on-one conversation with an instructor, other professor, or academic advisor?	1=Not at all 2=Once or twice per month 3=Once or twice per week 4=Several times per week	2010	

talk2pro	CALC	If you had a mental health problem that you believed was affecting your academic performance, which people at school would you talk to?	0=Not professor from one of my classes 1=Professor from one of my classes	All years	
talk2adv	CALC	If you had a mental health problem that you believed was affecting your academic performance, which people at school would you talk to?	0=Not academic advisor 1=Academic advisor	All years	
talk2ofa	CALC	If you had a mental health problem that you believed was affecting your academic performance, which people at school would you talk to?	0=Not another faculty member 1=Another faculty member	All years	
talk2ta	CALC	If you had a mental health problem that you believed was affecting your academic performance, which people at school would you talk to?	0=Not teaching assistant 1=Teaching assistant	All years	
talk2sta	CALC	If you had a mental health problem that you believed was affecting your academic performance, which people at school would you talk to?	0=Not student services staff 1=Student services staff	All years	
talk2dea	CALC	If you had a mental health problem that you believed was affecting your academic performance, which people at school would you talk to?	0=Not Dean of Students or Class Dean 1=Dean of Students or Class Dean	All years	
talk2oth	CALC	If you had a mental health problem that you believed was affecting your academic performance, which people at school would you talk to?	0=Not other 1=Other	All years	
talk2any	CALC	If you had a mental health problem that you believed was affecting your academic performance, which people at school would you talk to?	0=None 1=Any (professor from one of my classes, academic advisor, another faculty member, teaching assistant, student services staff, dean of Students or class dean, other)	All years	
talk2noo	CALC	If you had a mental health problem that you believed was affecting your academic performance, which people at school would you talk to?	0=Someone 1=No one	All years	
talk2_full	SURVEY	If you had a mental health problem that you believed was affecting your academic performance, which people at school would you talk to?	1 = Professor from one of my classes 2 = Academic advisor 3 = Another faculty member 4 = Teaching assistant 5 = Student services staff 6 = Dean of Students or class dean 7 = No one	All years	(Select all that apply)

			8 = Other		
talkaca	SURVEY	During this school year have you talked with any academic personnel (such as instructors, advisors, or other academic staff) about any mental health problems that were affecting your academic performance?	0=No 1=Yes	2010 2011 2012 2013 2014 2014-2015	In 2014, the questionnaire response read: 1= Yes 2= No
talksup	SURVEY	Overall, how supportive was the response of the academic personnel with whom you talked?	1=Very supportive 2=Supportive 3=Not supportive 4=Very unsupportive	2010 2011 2012 2013 2014 2014-2015	Skip logic: If "talkaca" = "yes", the question is asked.
talk1pro	CALC	If you were experiencing serious emotional distress, whom would you talk to about this?	0=Not professional clinician 1=Professional clinician (e.g. psychologist, counselor, or psychiatrist)	2012 2013 2014 2014-2015	
talk1sig	CALC	If you were experiencing serious emotional distress, whom would you talk to about this?	0=Not significant other 1=Significant other	2010 2011 2012 2013 2014 2014-2015	
talk1rm	CALC	If you were experiencing serious emotional distress, whom would you talk to about this?	0=Not roommate 1=Roommate	2009 2010 2011 2012 2013 2014 2014-2015	
talk1fr	CALC	If you were experiencing serious emotional distress, whom would you talk to about this?	0=Not friend (who is not a roommate) 1=Friend (who is not a roommate)	2009 2010 2011 2012 2013 2014 2014-2015	
talk1fam	CALC	If you were experiencing serious emotional distress, whom would you talk to about this?	0=Not family member 1=Family member	2009 2010 2011 2012 2013 2014 2014-2015	
talk1rel	CALC	If you were experiencing serious emotional distress, whom would you talk to about this?	0=Not religious counselor or other religious contact 1=Religious counselor or other religious contact	2009 2010 2011 2012	

				2013 2014 2014-2015	
talk1sup	CALC	If you were experiencing serious emotional distress, whom would you talk to about this?	0=Not support group 1=Support group	2009 2010 2011 2012 2013 2014 2014-2015	
talk1oth	CALC	If you were experiencing serious emotional distress, whom would you talk to about this?	0=Not other non-clinical source 1=Other non-clinical source	2009 2010 2011 2012 2013 2014 2014- 2015	
talk1no	CALC	If you were experiencing serious emotional distress, whom would you talk to about this?	0=Not no one 1=No one	2009 2010 2011 2012 2013 2014 2014-2015	
talk1	SURVEY	If you were experiencing serious emotional distress, whom would you talk to about this?	1 = Roommate 2 = Friend (who is not a roommate) 3= Family member 4= Religious counselor or other religious contact 5 = Support group 6= Other non-clinical source 7= No one	2009 2010 2011	
talk1_full	SURVEY	If you were experiencing serious emotional distress, whom would you talk to about this?	1 = Professional clinician (e.g., psychologist, counselor, or psychiatrist) 2 = Roommate 3 = Friend (who is not a roommate) 4 = Significant other 5 = Family member 6 = Religious counselor or other religious contact 7 = Support group 8 = Other non-clinical source 9 = No one	2012 2013 2014 2014-2015	(Select all that apply)

13. Reasons for seeking or not seeking help

bar_hs	SURVEY	<p>In the past 12 months, which of the following factors have caused you to receive fewer services (counseling, therapy, or medications) for your mental or emotional health than you would have otherwise received?</p>	<p>1 = There are financial reasons (too expensive, no insurance). 2 = The location is inconvenient. 2a = The hours are inconvenient. 3 = I don't have enough time. 4 = The number of sessions is too limited. 5 = The waiting time until I can get an appointment is too long. 6 = I am concerned about privacy. 7 = I worry about what others will think of me. 8 = I worry that my actions will be documented in my academic record. 8a = I worry that my actions will be documented in my medical record. 9 = I worry that someone will notify my parents. 10 = I fear being hospitalized. 11 = People providing services aren't sensitive enough to cultural issues. 12 = People providing services aren't sensitive enough to sexual identity issues. 13 = I have a hard time communicating in English. 14 = I question the quality of my options. 14a = I question whether medication or therapy is helpful. 15 = I have had bad experiences with medication and/or therapy. 16 = The problem will get better by itself. 16a = I question how serious my needs are. 17 = I don't think anyone can understand my problems. 18 = Stress is normal in</p>	All years	(Select all that apply)
--------	--------	--	---	-----------	-------------------------

			<p>college/graduate school.</p> <p>18a = I get a lot of support from other sources, such as friends and family</p> <p>18b = I prefer to deal with issues on my own.</p> <p>19 = Other</p> <p>20= There have been no barriers that I can think of.</p>		
bar_ns	SURVEY	In the past 12 months which of the following explain why you have not received medication or therapy for your mental or emotional health?	<p>1 = I have not had any need for mental health Services</p> <p>2= I haven't had the chance to go but I plan to</p> <p>2a = I prefer to deal with issues on my own</p> <p>3= There are financial reasons (too expensive, no insurance)</p> <p>4 = The location is inconvenient</p> <p>4a= The hours are inconvenient</p> <p>5 = I don't have time</p> <p>6= The number of sessions is too limited</p> <p>7 = The waiting time until I can get an appointment is too long</p> <p>8 =I am concerned about privacy</p> <p>9= I worry about what others will think of me</p> <p>10 = I worry that my actions will be documented on my academic record</p> <p>10a= I worry that my actions will be documented in my medical record</p> <p>11 = I worry that someone will notify my parents</p> <p>12= I fear being hospitalized</p> <p>13 = People providing services aren't sensitive enough to cultural issues</p> <p>14 = People providing services aren't sensitive enough to sexual identity issues</p> <p>15 = I have a hard time communicating in English</p>	All years	(Select all that apply)

			<p>16= I question the quality of my options</p> <p>16a= I question whether medication or therapy is helpful</p> <p>17 = I have had a bad experience with medication and/or therapy</p> <p>18= The problem will get better by itself</p> <p>18a= I question how serious my needs are</p> <p>19= I don't think anyone can understand my problems</p> <p>20= Stress is normal in college/graduate school</p> <p>20a= I get a lot of support from other sources, such as family and friends</p> <p>21= Other</p> <p>22 = There have been no barriers that I can think of</p>		
bar_none_hs	CALC	In the past 12 months, which of the following factors have caused you to receive fewer services (counseling, therapy, or medications) for your mental or emotional health than you would have otherwise received?	<p>0=Not there have been no barriers that I can think of</p> <p>1=There have been no barriers that I can think of</p>	All years	Skip logic: If "meds_full" = any one of 1-7, or "ther_any" = "yes", the question is asked.
bar_none_ns	CALC	In the past 12 months, which of the following explain why you have not received medication or therapy for your mental or emotional health?	<p>0=Not there have been no barriers that I can think of</p> <p>1= There have been no barriers that I can think of</p>	All years	Skip logic: If "meds_full" = 8, 9, or NA, or if "ther_any" = "no" or NA, the question is asked.
bar_1_hs	CALC	In the past 12 months, which of the following factors have caused you to receive fewer services (counseling, therapy, or medications) for your mental or emotional health than you would have otherwise received?	<p>0=Not stress is normal in college/graduate school</p> <p>1= Stress is normal in college/graduate school</p>	All years	Skip logic: If "meds_full" = any one of 1-7, or "ther_any" = "yes", the question is asked.
bar_1_ns	CALC	In the past 12 months, which of the following explain why you have not received medication or therapy for your mental or emotional health?	<p>0=Not I have not had any need for mental health services</p> <p>1=I have not had any need for mental health services</p>	All years	Skip logic: If "meds_full" = 8, 9, or NA, or if "ther_any" = "no" or NA, the question is asked.
bar_2_hs	CALC	In the past 12 months, which of the following factors have caused you to receive fewer services (counseling, therapy, or medications) for your mental or emotional health than you would have otherwise received?	<p>0=Not the problem will get better by itself</p> <p>1=The problem will get better by itself</p>	All years	Skip logic: If "meds_full" = any one of 1-7, or "ther_any" = "yes", the question is asked.

bar_2_ns	CALC	In the past 12 months, which of the following explain why you have not received medication or therapy for your mental or emotional health?	0=Not stress is normal in college/graduate school 1= Stress is normal in college/graduate school	All years	Skip logic: If “meds_full” = 8, 9, or NA, or if “ther_any” = “no” or NA, the question is asked.
bar_3_hs	CALC	In the past 12 months, which of the following factors have caused you to receive fewer services (counseling, therapy, or medications) for your mental or emotional health than you would have otherwise received?	0=Not I don’t have enough time 1=I don’t have enough time	All years	Skip logic: If “meds_full” = any one of 1-7, or “ther_any” = “yes”, the question is asked.
bar_3_ns	CALC	In the past 12 months, which of the following explain why you have not received medication or therapy for your mental or emotional health?	0=Not the problem will get better by itself 1=The problem will get better by itself	All years	Skip logic: If “meds_full” = 8, 9, or NA, or if “ther_any” = “no” or NA, the question is asked.
bar_4_hs	CALC	In the past 12 months, which of the following factors have caused you to receive fewer services (counseling, therapy, or medications) for your mental or emotional health than you would have otherwise received?	0=Not I don’t think anyone can understand my problems 1=I don’t think anyone can understand my problems	All years	Skip logic: If “meds_full” = any one of 1-7, or “ther_any” = “yes”, the question is asked.
bar_4_ns	CALC	In the past 12 months, which of the following explain why you have not received medication or therapy for your mental or emotional health?	0=Not I don’t have time 1=I don’t have time	All years	Skip logic: If “meds_full” = 8, 9, or NA, or if “ther_any” = “no” or NA, the question is asked.
bar_5_hs	CALC	In the past 12 months, which of the following factors have caused you to receive fewer services (counseling, therapy, or medications) for your mental or emotional health than you would have otherwise received?	0=Not I worry about what others will think of me 1=I worry about what others will think of me	All years	Skip logic: If “meds_full” = any one of 1-7, or “ther_any” = “yes”, the question is asked.
bar_5_ns	CALC	In the past 12 months, which of the following explain why you have not received medication or therapy for your mental or emotional health?	0=Not I don’t think anyone can understand my problems 1=I don’t think anyone can understand my problems	All years	Skip logic: If “meds_full” = 8, 9, or NA, or if “ther_any” = “no” or NA, the question is asked.
bar_6_hs	CALC	In the past 12 months, which of the following factors have caused you to receive fewer services (counseling, therapy, or medications) for your mental or emotional health than you would have otherwise received?	0=Not I question the quality of my options 1=I question the quality of my options	All years	Skip logic: If “meds_full” = any one of 1-7, or “ther_any” = “yes”, the question is asked.
bar_6_ns	CALC	In the past 12 months, which of the following explain why you have not received medication or therapy for your mental or emotional health?	0=Not I worry about what others will think of me 1=I worry about what others will think of me	All years	Skip logic: If “meds_full” = 8, 9, or NA, or if “ther_any” = “no” or NA, the question is asked.
bar_7_hs	CALC	In the past 12 months, which of the following factors have caused you to receive fewer services (counseling, therapy, or medications) for your	0=Not I am concerned about privacy 1=I am concerned about privacy	All years	Skip logic: If “meds_full” = any one of 1-7, or “ther_any” = “yes”, the question is asked.

		mental or emotional health than you would have otherwise received?			
bar_7_ns	CALC	In the past 12 months, which of the following explain why you have not received medication or therapy for your mental or emotional health?	0=Not I question the quality of my options 1=I question the quality of my options	All years	Skip logic: If “meds_full” = 8, 9, or NA, or if “ther_any” = “no” or NA, the question is asked.
bar_8_hs	CALC	In the past 12 months, which of the following factors have caused you to receive fewer services (counseling, therapy, or medications) for your mental or emotional health than you would have otherwise received?	0=Not other factor 1= Other factor	All years	Skip logic: If “meds_full” = any one of 1-7, or “ther_any” = “yes”, the question is asked.
bar_8_ns	CALC	In the past 12 months, which of the following explain why you have not received medication or therapy for your mental or emotional health?	0=Not I am concerned about privacy 1=I am concerned about privacy	All years	Skip logic: If “meds_full” = 8, 9, or NA, or if “ther_any” = “no” or NA, the question is asked.
bar_9_hs	CALC	In the past 12 months, which of the following factors have caused you to receive fewer services (counseling, therapy, or medications) for your mental or emotional health than you would have otherwise received?	0=Not there are financial reasons (too expensive, no insurance) 1= There are financial reasons (too expensive, no insurance)	2009 2010 2011 2012 2013 2014 2014-2015	Skip logic: If “meds_full” = any one of 1-7, or “ther_any” = “yes”, the question is asked.
bar_9_ns	CALC	In the past 12 months, which of the following explain why you have not received medication or therapy for your mental or emotional health?	0=Not other factor 1=Other factor	All years	Skip logic: If “meds_full” = 8, 9, or NA, or if “ther_any” = “no” or NA, the question is asked.
bar_10_hs	CALC	In the past 12 months, which of the following factors have caused you to receive fewer services (counseling, therapy, or medications) for your mental or emotional health than you would have otherwise received?	0=Not the location is inconvenient 1=The location is inconvenient	2009 2010 2011 2012 2013 2014 2014-2015	Skip logic: If “meds_full” = any one of 1-7, or “ther_any” = “yes”, the question is asked.
bar_10_ns	CALC	In the past 12 months, which of the following explain why you have not received medication or therapy for your mental or emotional health?	0=Not I haven’t had the chance to go but I plan to 1=I haven’t had the chance to go but I plan to	2009 2010 2011 2012 2013 2014 2014-2015	Skip logic: If “meds_full” = 8, 9, or NA, or if “ther_any” = “no” or NA, the question is asked.
bar_11_hs	CALC	In the past 12 months, which of the following factors have caused you to receive fewer services (counseling, therapy, or medications) for your mental or emotional health than you would have otherwise received?	0=Not the hours are inconvenient 1=The hours are inconvenient	2009 2010 2011 2012 2013 2014 2014-2015	Skip logic: If “meds_full” = any one of 1-7, or “ther_any” = “yes”, the question is asked.

bar_11_ns	CALC	In the past 12 months, which of the following explain why you have not received medication or therapy for your mental or emotional health?	0=Not I prefer to deal with issues on my own 1=I prefer to deal with issues on my own	2009 2010 2011 2012 2013 2014 2014-2015	Skip logic: If “meds_full” = 8, 9, or NA, or if “ther_any” = “no” or NA, the question is asked.
bar_12_hs	CALC	In the past 12 months, which of the following factors have caused you to receive fewer services (counseling, therapy, or medications) for your mental or emotional health than you would have otherwise received?	0=Not the number of sessions is too limited 1=The number of sessions is too limited	2009 2010 2011 2012 2013 2014 2014-2015	Skip logic: If “meds_full” = any one of 1-7, or “ther_any” = “yes”, the question is asked.
bar_12_ns	CALC	In the past 12 months, which of the following explain why you have not received medication or therapy for your mental or emotional health?	0=Not there are financial reasons (too expensive, no insurance) 1= There are financial reasons (too expensive, no insurance)	2009 2010 2011 2012 2013 2014 2014-2015	Skip logic: If “meds_full” = 8, 9, or NA, or if “ther_any” = “no” or NA, the question is asked.
bar_13_hs	CALC	In the past 12 months, which of the following factors have caused you to receive fewer services (counseling, therapy, or medications) for your mental or emotional health than you would have otherwise received?	0=Not the waiting time until I can get an appointment is too long 1=The waiting time until I can get an appointment is too long	2009 2010 2011 2012 2013 2014 2014-2015	Skip logic: If “meds_full” = any one of 1-7, or “ther_any” = “yes”, the question is asked.
bar_13_ns	CALC	In the past 12 months, which of the following explain why you have not received medication or therapy for your mental or emotional health?	0=Not the location is inconvenient 1=The location is inconvenient	2009 2010 2011 2012 2013 2014 2014-2015	Skip logic: If “meds_full” = 8, 9, or NA, or if “ther_any” = “no” or NA, the question is asked.
bar_14_hs	CALC	In the past 12 months, which of the following factors have caused you to receive fewer services (counseling, therapy, or medications) for your mental or emotional health than you would have otherwise received?	0=Not I worry that my actions will be documented in my academic record 1=I worry that my actions will be documented in my academic record	2009 2010 2011 2012 2013 2014 2014-2015	Skip logic: If “meds_full” = any one of 1-7, or “ther_any” = “yes”, the question is asked.
bar_14_ns	CALC	In the past 12 months, which of the following explain why you have not received medication or therapy for your mental or emotional health?	0=Not the hours are inconvenient 1=The hours are inconvenient	2009 2010 2011 2012 2013 2014 2014-2015	Skip logic: If “meds_full” = 8, 9, or NA, or if “ther_any” = “no” or NA, the question is asked.

bar_15_hs	CALC	In the past 12 months, which of the following factors have caused you to receive fewer services (counseling, therapy, or medications) for your mental or emotional health than you would have otherwise received?	0=Not I worry that my actions will be documented in my medical record 1=I worry that my actions will be documented in my medical record	2009 2010 2011 2012 2013 2014 2014-2015	Skip logic: If “meds_full” = any one of 1-7, or “ther_any” = “yes”, the question is asked.
bar_15_ns	CALC	In the past 12 months, which of the following explain why you have not received medication or therapy for your mental or emotional health?	0=Not the number of sessions is too limited 1=The number of sessions is too limited	2009 2010 2011 2012 2013 2014 2014-2015	Skip logic: If “meds_full” = 8, 9, or NA, or if “ther_any” = “no” or NA, the question is asked.
bar_16_hs	CALC	In the past 12 months, which of the following factors have caused you to receive fewer services (counseling, therapy, or medications) for your mental or emotional health than you would have otherwise received?	0=Not I worry that someone will notify my parents 1=I worry that someone will notify my parents	2009 2010 2011 2012 2013 2014 2014-2015	Skip logic: If “meds_full” = any one of 1-7, or “ther_any” = “yes”, the question is asked.
bar_16_ns	CALC	In the past 12 months, which of the following explain why you have not received medication or therapy for your mental or emotional health?	0=Not the waiting time until I can get an appointment is too long 1=The waiting time until I can get an appointment is too long	2009 2010 2011 2012 2013 2014 2014-2015	Skip logic: If “meds_full” = 8, 9, or NA, or if “ther_any” = “no” or NA, the question is asked.
bar_17_hs	CALC	In the past 12 months, which of the following factors have caused you to receive fewer services (counseling, therapy, or medications) for your mental or emotional health than you would have otherwise received?	0=Not I fear being hospitalized 1=I fear being hospitalized	2009 2010 2011 2012 2013 2014 2014-2015	Skip logic: If “meds_full” = any one of 1-7, or “ther_any” = “yes”, the question is asked.
bar_17_ns	CALC	In the past 12 months, which of the following explain why you have not received medication or therapy for your mental or emotional health?	0=Not I worry that my actions will be documented in my academic record 1=I worry that my actions will be documented in my academic record	2009 2010 2011 2012 2013 2014 2014-2015	Skip logic: If “meds_full” = 8, 9, or NA, or if “ther_any” = “no” or NA, the question is asked.
bar_18_hs	CALC	In the past 12 months, which of the following factors have caused you to receive fewer services (counseling, therapy, or medications) for your mental or emotional health than you would have otherwise received?	0=Not people providing services aren’t sensitive enough to cultural issues 1=People providing services aren’t sensitive enough to cultural issues	2009 2010 2011 2012 2013 2014 2014-2015	Skip logic: If “meds_full” = any one of 1-7, or “ther_any” = “yes”, the question is asked.

bar_18_ns	CALC	In the past 12 months, which of the following explain why you have not received medication or therapy for your mental or emotional health?	0=Not I worry that my actions will be documented in my medical record 1=I worry that my actions will be documented in my medical record	2009 2010 2011 2012 2013 2014 2014-2015	Skip logic: If “meds_full” = 8, 9, or NA, or if “ther_any” = “no” or NA, the question is asked.
bar_19_hs	CALC	In the past 12 months, which of the following factors have caused you to receive fewer services (counseling, therapy, or medications) for your mental or emotional health than you would have otherwise received?	0=Not people providing services aren’t sensitive enough to sexual identity issues 1=People providing services aren’t sensitive enough to sexual identity issues	2009 2010 2011 2012 2013 2014 2014-2015	Skip logic: If “meds_full” = any one of 1-7, or “ther_any” = “yes”, the question is asked.
bar_19_ns	CALC	In the past 12 months, which of the following explain why you have not received medication or therapy for your mental or emotional health?	0=Not I worry that someone will notify my parents 1=I worry that someone will notify my parents	2009 2010 2011 2012 2013 2014 2014-2015	Skip logic: If “meds_full” = 8, 9, or NA, or if “ther_any” = “no” or NA, the question is asked.
bar_20_hs	CALC	In the past 12 months, which of the following factors have caused you to receive fewer services (counseling, therapy, or medications) for your mental or emotional health than you would have otherwise received?	0=Not I have a hard time communicating in English 1=I have a hard time communicating in English	2009 2010 2011 2012 2013 2014 2014-2015	Skip logic: If “meds_full” = any one of 1-7, or “ther_any” = “yes”, the question is asked.
bar_20_ns	CALC	In the past 12 months, which of the following explain why you have not received medication or therapy for your mental or emotional health?	0=Not I fear being hospitalized 1=I fear being hospitalized	2009 2010 2011 2012 2013 2014 2014-2015	Skip logic: If “meds_full” = 8, 9, or NA, or if “ther_any” = “no” or NA, the question is asked.
bar_21_hs	CALC	In the past 12 months, which of the following factors have caused you to receive fewer services (counseling, therapy, or medications) for your mental or emotional health than you would have otherwise received?	0=Not I question whether medication or therapy is helpful 1=I question whether medication or therapy is helpful	2009 2010 2011 2012 2013 2014 2014-2015	Skip logic: If “meds_full” = any one of 1-7, or “ther_any” = “yes”, the question is asked.
bar_21_ns	CALC	In the past 12 months, which of the following explain why you have not received medication or therapy for your mental or emotional health?	0=Not people providing services aren’t sensitive enough to cultural issues 1=People providing services aren’t sensitive enough to cultural issues	2009 2009 2011 2012 2013 2014 2014-2015	Skip logic: If “meds_full” = 8, 9, or NA, or if “ther_any” = “no” or NA, the question is asked.

bar_22_hs	CALC	In the past 12 months, which of the following factors have caused you to receive fewer services (counseling, therapy, or medications) for your mental or emotional health than you would have otherwise received?	0=Not I have had bad experiences with medication and/or therapy 1=I have had bad experiences with medication and/or therapy	2009 2010 2011 2012 2013 2014 2014-2015	Skip logic: If “meds_full” = any one of 1-7, or “ther_any” = “yes”, the question is asked.
bar_22_ns	CALC	In the past 12 months, which of the following explain why you have not received medication or therapy for your mental or emotional health?	0=Not people providing services aren’t sensitive enough to sexual identity issues 1=People providing services aren’t sensitive enough to sexual identity issues	2009 2010 2011 2012 2013 2014 2014-2015	Skip logic: If “meds_full” = 8, 9, or NA, or if “ther_any” = “no” or NA, the question is asked.
bar_23_hs	CALC	In the past 12 months, which of the following factors have caused you to receive fewer services (counseling, therapy, or medications) for your mental or emotional health than you would have otherwise received?	0=Not I question how serious my needs are 1=I question how serious my needs are	2009 2010 2011 2012 2013 2014 2014-2015	Skip logic: If “meds_full” = any one of 1-7, or “ther_any” = “yes”, the question is asked.
bar_23_ns	CALC	In the past 12 months, which of the following explain why you have not received medication or therapy for your mental or emotional health?	0=Not I have a hard time communicating in English 1=I have a hard time communicating in English	2009 2010 2011 2012 2013 2014 2014-2015	Skip logic: If “meds_full” = 8, 9, or NA, or if “ther_any” = “no” or NA, the question is asked.
bar_24_hs	CALC	In the past 12 months, which of the following factors have caused you to receive fewer services (counseling, therapy, or medications) for your mental or emotional health than you would have otherwise received?	0=Not I get a lot of support from other sources, such as friends and family 1=I get a lot of support from other sources, such as friends and family	2009 2010 2011 2012 2013 2014 2014-2015	Skip logic: If “meds_full” = any one of 1-7, or “ther_any” = “yes”, the question is asked.
bar_24_ns	CALC	In the past 12 months, which of the following explain why you have not received medication or therapy for your mental or emotional health?	0=Not I question whether medication or therapy is helpful 1=I question whether medication or therapy is helpful	2009 2010 2011 2012 2013 2014 2014-2015	Skip logic: If “meds_full” = 8, 9, or NA, or if “ther_any” = “no” or NA, the question is asked.
bar_25_hs	CALC	In the past 12 months, which of the following factors have caused you to receive fewer services (counseling, therapy, or medications) for your mental or emotional health than you would have otherwise received?	0=Not I prefer to deal with issues on my own 1=I prefer to deal with issues on my own	2009 2010 2011 2012 2013 2014 2014-2015	Skip logic: If “meds_full” = any one of 1-7, or “ther_any” = “yes”, the question is asked.

bar_25_ns	CALC	In the past 12 months, which of the following explain why you have not received medication or therapy for your mental or emotional health?	0=Not I have had bad experiences with medication and/or therapy 1=I have had bad experiences with medication and/or therapy	2009 2010 2011 2012 2013 2014 2014-2015	Skip logic: If “meds_full” = 8, 9, or NA, or if “ther_any” = “no” or NA, the question is asked.
bar_26_ns	CALC	In the past 12 months, which of the following explain why you have not received medication or therapy for your mental or emotional health?	0=Not I question how serious my needs are 1=I question how serious my needs are	2009 2010 2011 2012 2013 2014 2014-2015	Skip logic: If “meds_full” = 8, 9, or NA, or if “ther_any” = “no” or NA, the question is asked.
bar_27_ns	CALC	In the past 12 months, which of the following explain why you have not received medication or therapy for your mental or emotional health?	0=Not I get a lot of support from other sources, such as friends and family 1=I get a lot of support from other sources, such as friends and family	2009 2010 2011 2012 2013 2014 2014-2015	Skip logic: If “meds_full” = 8, 9, or NA, or if “ther_any” = “no” or NA, the question is asked.
why	SURVEY	Earlier in this survey you reported that you have taken medication and/or received counseling/therapy in the past 12 months for your mental or emotional health. Which of the following are important reasons why you received those services?	1 = I decided on my own to seek help 2 = A friend or family member encouraged me to seek help 3= A friend or family member pressured me to seek help 4 = A friend or family member forced me to seek help 5 = Someone other than a friend or family member encouraged me to seek help (specify who) 6 = Someone other than a friend or family member pressured me to seek help (specify who) 7= Someone other than a friend or family member forced me to seek help (specify who) 8= I acquired more information about my options from (specify) 9 =Other (specify)	2007	(Select all that apply)
why_new	SURVEY	Earlier in this survey you reported that you have taken medication and/or received counseling/therapy in the past 12 months for your mental or	1 = I decided on my own to seek help. 2 = A friend encouraged me to seek help.	2009 2010 2011 2012	(Select all that apply)

		emotional health. Which of the following are important reasons why you received those services?	3 = A friend pressured me to seek help. 4 = A family member encouraged me to seek help. 5 = A family member pressured me to seek help. 6 = Someone other than a friend or family member encouraged me to seek help (specify person's relationship to you). 7 = I was mandated to seek help by campus staff. 8 = I acquired more information about my options from (specify where). 9 = Other (specify)	2013 2014 2014-2015	
why_f_encourage	CALC	Earlier in this survey you reported that you have taken medication and/or received counseling/therapy in the past 12 months for your mental or emotional health. Which of the following are important reasons why you received those services?	0=Not a friend or family member encouraged me to seek help 1=A friend or family member encouraged me to seek help	2007	Skip logic: If "meds_full" = any one of 1-7, or "ther_any" = "yes", the question is asked.
why_f_pressure	CALC	Earlier in this survey you reported that you have taken medication and/or received counseling/therapy in the past 12 months for your mental or emotional health. Which of the following are important reasons why you received those services?	0=Not a friend or family member pressured me to seek help 1=A friend or family member pressured me to seek help	2007	Skip logic: If "meds_full" = any one of 1-7, or "ther_any" = "yes", the question is asked.
why_f_force	CALC	Earlier in this survey you reported that you have taken medication and/or received counseling/therapy in the past 12 months for your mental or emotional health. Which of the following are important reasons why you received those services?	0=Not a friend or family member forced me to seek help 1=A friend or family member forced me to seek help	2007	Skip logic: If "meds_full" = any one of 1-7, or "ther_any" = "yes", the question is asked.
why_fr	CALC	Earlier in this survey you reported that you have taken medication and/or received counseling/therapy in the past 12 months for your mental or emotional health. Which of the following are important reasons why you received those services?	0=Not a friend encouraged me to seek help and/or A friend pressured me to seek help 1=A friend encouraged me to seek help and/or A friend pressured me to seek help	2009 2010 2011 2012 2013 2014 2014-2015	
why_fam	CALC	Earlier in this survey you reported that you have taken medication and/or received counseling/therapy in the past 12 months for your mental or	0=Not a family member encouraged me to seek help and/or A family member pressured me to seek help	2009 2010 2011 2012	

		emotional health. Which of the following are important reasons why you received those services?	1=A family member encouraged me to seek help and/or A family member pressured me to seek help	2013 2014 2014-2015	
why_o_encourage	CALC	Earlier in this survey you reported that you have taken medication and/or received counseling/therapy in the past 12 months for your mental or emotional health. Which of the following are important reasons why you received those services?	0=Not someone other than a friend or family member encouraged me to seek help 1=Someone other than a friend or family member encouraged me to seek help	2007	Skip logic: If “meds_full” = any one of 1-7, or “ther_any” = “yes”, the question is asked.
why_o_pressure	CALC	Earlier in this survey you reported that you have taken medication and/or received counseling/therapy in the past 12 months for your mental or emotional health. Which of the following are important reasons why you received those services?	0=Not someone other than a friend or family member pressured me to seek help 1=Someone other than a friend or family member pressured me to seek help	2007	Skip logic: If “meds_full” = any one of 1-7, or “ther_any” = “yes”, the question is asked.
why_o_force	CALC	Earlier in this survey you reported that you have taken medication and/or received counseling/therapy in the past 12 months for your mental or emotional health. Which of the following are important reasons why you received those services?	0=Not someone other than a friend or family member forced me to seek help 1=Someone other than a friend or family member forced me to seek help	2007	Skip logic: If “meds_full” = any one of 1-7, or “ther_any” = “yes”, the question is asked.
why_oper	CALC	Earlier in this survey you reported that you have taken medication and/or received counseling/therapy in the past 12 months for your mental or emotional health. Which of the following are important reasons why you received those services?	0=Not someone other than a friend or family member encouraged me to seek help 1=Someone other than a friend or family member encouraged me to seek help	2009 2010 2011 2012 2013 2014 2014-2015	
why_mand	CALC	Earlier in this survey you reported that you have taken medication and/or received counseling/therapy in the past 12 months for your mental or emotional health. Which of the following are important reasons why you received those services?	0=Not I was mandated to seek help by campus staff 1= I was mandated to seek help by campus staff	2009 2010 2011 2012 2013 2014 2014-2015	
why_info	CALC	Earlier in this survey you reported that you have taken medication and/or received counseling/therapy in the past 12 months for your mental or emotional health. Which of the following are important reasons why you received those services?	0=Not I acquired more information about my options from 1=I acquired more information about my options from	All years	Skip logic: If “meds_full” = any one of 1-7, or “ther_any” = “yes”, the question is asked.

why_oth	CALC	Earlier in this survey you reported that you have taken medication and/or received counseling/therapy in the past 12 months for your mental or emotional health. Which of the following are important reasons why you received those services?	0=Not other reason 1=Other reason	All years	Skip logic: If “meds_full” = any one of 1-7, or “ther_any” = “yes”, the question is asked.
why_own	CALC	Earlier in this survey you reported that you have taken medication and/or received counseling/therapy in the past 12 months for your mental or emotional health. Which of the following are important reasons why you received those services?	0=Not I decided on my own to seek help 1=I decided on my own to seek help	All years	Skip logic: If “meds_full” = any one of 1-7, or “ther_any” = “yes”, the question is asked.
14. Insurance					
ins_full	SURVEY	What is the source of your current health insurance coverage?	1=I do not have any health insurance coverage (uncovered) 2=I have health insurance through my parent(s) or their employer 3=I have health insurance through my employer 4=I have health insurance through my spouse’s employer 5=I have a student health insurance plan 6=I have health insurance through an embassy or sponsoring agency for international students 7=I have individual health insurance purchased directly from an insurance carrier 8=I have Medicaid or other governmental insurance 9=I am uncertain about whether I have health insurance 10=I have health insurance but am uncertain about where it is from	All years	(Select all that apply)
ins_none	CALC	What is the source of your current health insurance coverage?	0=Not I do not have any health insurance coverage (uncovered) 1=I do not have any health insurance coverage (uncovered)	All years	

ins_pare	CALC	What is the source of your current health insurance coverage?	0=Not I have health insurance through my parent(s) or their employer 1=I have health insurance through my parent(s) or their employer	All years	
ins_empl	CALC	What is the source of your current health insurance coverage?	0=Not I have health insurance through my employer 1=I have health insurance through my employer	All years	
ins_spou	CALC	What is the source of your current health insurance coverage?	0=Not I have health insurance through my spouse's employer 1=I have health insurance through my spouse's employer	All years	
ins_stud	CALC	What is the source of your current health insurance coverage?	0=Not I have a student health insurance plan 1=I have a student health insurance plan	All years	
ins_inte	CALC	What is the source of your current health insurance coverage?	0=Not I have health insurance through an embassy or sponsoring agency for international students 1=I have health insurance through an embassy or sponsoring agency for international students	All years	
ins_indi	CALC	What is the source of your current health insurance coverage?	0=Not I have individual health insurance purchased directly from an insurance carrier 1=I have individual health insurance purchased directly from an insurance carrier	All years	
ins_publ	CALC	What is the source of your current health insurance coverage?	0=Not I have Medicaid or other governmental insurance 1=I have Medicaid or other governmental insurance	All years	
ins_unce	CALC	What is the source of your current health insurance coverage?	0=Not I am uncertain about whether I have health insurance 1=I am uncertain about whether I have health insurance	All years	
ins_yesb	CALC	What is the source of your current health insurance coverage?	0=Not I have health insurance but am uncertain about where it is from 1=I have health insurance but am uncertain about where it is from	All years	

ins_mh	SURVEY	Do you know if your health insurance plan would provide any coverage for a visit to a mental health professional (psychiatrist, psychologist, clinical social worker, etc.)?	1=Yes, it definitely would 2=I think it would but am not sure 3=I have no idea 4=I think it would not but am not sure 5=No, it definitely would not	All years	Skip logic: If “ins_full” = any one 2-10, the question is asked.
ins_ade	SURVEY	Does your current health insurance plan meet your needs for mental health services?	1=I have not needed to use my current insurance plan to cover mental health services 2=Yes, everything I have needed is covered 3=No, the coverage is inadequate to meet my needs	All years	
ins_ina	SURVEY	I feel that coverage is inadequate because my plan...	1=Doesn't cover any mental health services 2=Doesn't cover preexisting conditions 3=Doesn't cover certain conditions 4=Has a co-pay that is too expensive 5=Has a deductible that is too expensive 6=Doesn't cover certain types of services or providers 7=Has a limit on the number of services that are covered	All years	(Select all that apply)
ins_ina1	CALC	I feel that coverage is inadequate because my plan...	0=Not doesn't cover any mental health services 1=Doesn't cover any mental health services	All years	Skip logic: If “ins_ade” = “No”, the question is asked.
ins_ina2	CALC	I feel that coverage is inadequate because my plan...	0=Not doesn't cover preexisting conditions 1=Doesn't cover preexisting conditions	All years	Skip logic: If “ins_ade” = “No”, the question is asked.
ins_ina3	CALC	I feel that coverage is inadequate because my plan...	0=Not doesn't cover certain conditions 1=Doesn't cover certain conditions	All years	Skip logic: If “ins_ade” = “No”, the question is asked.
ins_ina4	CALC	I feel that coverage is inadequate because my plan...	0=Not has a co-pay that is too expensive 1=Has a co-pay that is too expensive	All years	Skip logic: If “ins_ade” = “No”, the question is asked.
ins_ina5	CALC	I feel that coverage is inadequate because my plan...	0=Not has a deductible that is too expensive 1=Has a deductible that is too expensive	All years	Skip logic: If “ins_ade” = “No”, the question is asked.

ins_ina6	CALC	I feel that coverage is inadequate because my plan...	0=Not doesn't cover certain types of services or providers 1=Doesn't cover certain types of services or providers	All years	Skip logic: If "ins_ade" = "No", the question is asked.
ins_ina7	CALC	I feel that coverage is inadequate because my plan...	0=Not has a limit on the number of services that are covered 1=Has a limit on the number of services that are covered	All years	Skip logic: If "ins_ade" = "No", the question is asked.
15. Substance use					
smok_freq	SURVEY	On average, how many cigarettes did you smoke in the past 30 days?	1=None 2=Less than one cigarette per day 3=One to five cigarettes per day 4=About one-half pack per day 5=About one pack per day 6=About one and one-half packs per day 7=Two or more packs per day 8=Don't know 9=I refuse to answer this	2007 2009 2010 2011	In 2007, 2010, and 2011, the questionnaire response did not include: 9= I refuse to answer this
binge_fr	SURVEY	Over the past two weeks, on how many occasions have you had 4 [females]/5[males, transgender/other] drinks in a row?	1=None 2=Once 3=Twice 4=3 to 5 times 5=6-9 times 6=10 or more times 7=Don't know	All years	In 2012, 2013, 2014 and 2014-2015, the questionnaire read: During the last two weeks, how many times have you had 4[females]/5[males, transgender/other] drinks in a row? The questionnaire response did not include: 7=Don't know
binge_num	SURVEY	The last time that you had 4/5 or more drinks in a row, how many drinks did you actually have?	1=4 drinks 2=5 drinks 3=6 drinks 4=7 drinks 5=8 drinks 6=9 drinks 7=10-14 drinks 8=15 or more drinks	2012 2013	Skip logic: If "binge_fr" = any answer 2-7, the question is asked.
binge_time	SURVEY	How long did it take you to consume the drinks you indicated in the previous question?	1=1 hour or less 2=2 hours 3=3 hours 4=4 hours 5=5 hours 6=6 hours or more	2012 2013	Skip logic: If "binge_fr" = any answer 2-7, the question is asked.

drug_full	SURVEY	In the past 30 days, have you used any of the following drugs?	1=Marijuana (also known as grass, weed, pot, hash, or hash oil) 2=Cocaine (any form, including crack, powder, or freebase) 3=Heroin (also known as smack, junk, or China White) 4=Methamphetamines (also known as speed, crystal, meth, or ice) 5=Other stimulants (e.g. Ritalin, Adderall, etc.) without a prescription 6=Ecstasy (also known as MDMA) 7=Other drugs without a doctor's prescription 8=None of the above	2007 2009 2010 2011	(Select all that apply)
drug_any	CALC	In the past 30 days, have you used any of the following drugs?	0=None 1=Any	2007 2009 2010 2011	
drug_mar	CALC	In the past 30 days, have you used any of the following drugs?	0= Not marijuana (also known as grass, weed, pot, hash, or hash oil) 1=Marijuana (also known as grass, weed, pot, hash, or hash oil)	2007 2009 2010 2011	
drug_coc	CALC	In the past 30 days, have you used any of the following drugs?	0=Not cocaine (any form, including crack, powder, or freebase) 1=Cocaine (any form, including crack, powder, or freebase)	2007 2009 2010 2011	
drug_her	CALC	In the past 30 days, have you used any of the following drugs?	0=Not heroin (also known as smack, junk, or China White) 1=Heroin (also known as smack, junk, or China White)	2007 2009 2010 2011	
drug_spe	CALC	In the past 30 days, have you used any of the following drugs?	0=Not methamphetamines (also known as speed, crystal, meth, or ice) 1=Methamphetamines (also known as speed, crystal, meth, or ice)	2007 2009 2010 2011	
drug_sti	CALC	In the past 30 days, have you used any of the following drugs?	0=Not other stimulants (e.g. Ritalin, Adderall, etc.) without a prescription	2007 2009 2010 2011	

			1=Other stimulants (e.g. Ritalin, Adderall, etc.) without a prescription		
drug_ecs	CALC	In the past 30 days, have you used any of the following drugs?	0=Not ecstasy (also known as MDMA) 1=Ecstasy (also known as MDMA)	2007 2009 2010 2011	
drug_oth	CALC	In the past 30 days, have you used any of the following drugs?	0=Not other drugs without a doctor's prescription 1=Other drugs without a doctor's prescription	2007 2009 2010 2011	
sub_cig	SURVEY	How often, if ever, have you used any of the substances listed below? Do not include anything you used prescribed to you by a doctor. -Cigarettes	1=Never used 2=Used, but not in past 12 months 3=Used, but not in past 30 days 4=Used in past 30 days	2012 2013 2014 2014-2015	In 2013, 2014 and 2014-2015, the questionnaire read: 3 = Used in past 12 months, but NOT in past 30 days
sub_mar	SURVEY	How often, if ever, have you used any of the substances listed below? Do not include anything you used prescribed to you by a doctor. -Marijuana (or hashish, blunts, Spice, K2)	1=Never used 2=Used, but not in past 12 months 3=Used, but not in past 30 days 4=Used in past 30 days	2012 2013 2014 2014-2015	In 2013, 2014 and 2014-2015, the questionnaire read: 3 = Used in past 12 months, but NOT in past 30 days
sub_mar2	SURVEY	How often, if ever, have you used any of the substances listed below? Do not include anything you used prescribed to you by a doctor. -Synthetic marijuana/cannabis (or spice, K2)	1=Never used 2=Used, but not in past 12 months 3=Used, but not in past 30 days 4=Used in past 30 days	2013 2014 2014-2015	In 2013, 2014 and 2014-2015, the questionnaire read: 3 = Used in past 12 months, but NOT in past 30 days
sub_coc	SURVEY	How often, if ever, have you used any of the substances listed below? Do not include anything you used prescribed to you by a doctor. -Cocaine (crack, coke)	1=Never used 2=Used, but not in past 12 months 3=Used, but not in past 30 days 4=Used in past 30 days	2012 2013 2014 2014-2015	In 2013, 2014 and 2014-2015, the questionnaire read: 3 = Used in past 12 months, but NOT in past 30 days
sub_bar	SURVEY	How often, if ever, have you used any of the substances listed below? Do not include anything you used prescribed to you by a doctor. -Barbiturates or sedatives (prescription-type sleeping pills like Seconal, Ambien, Nembutal, downs or Yellow Jackets)	1=Never used 2=Used, but not in past 12 months 3=Used, but not in past 30 days 4=Used in past 30 days	2012 2013 2014 2014-2015	In 2013, 2014 and 2014-2015, the questionnaire read: 3 = Used in past 12 months, but NOT in past 30 days
sub_tra	SURVEY	How often, if ever, have you used any of the substances listed below? Do not include anything you used prescribed to you by a doctor.	1=Never used 2=Used, but not in past 12 months 3=Used, but not in past 30 days 4=Used in past 30 days	2012 2013 2014 2014-2015	In 2013, 2014 and 2014-2015, the questionnaire read: 3 = Used in past 12 months, but NOT in past 30 days

		-Tranquilizers (prescription-type drugs like Valium, Librium, Xanax, Ativan, Klonopin)	4=Used in past 30 days		
sub_amp	SURVEY	How often, if ever, have you used any of the substances listed below? Do not include anything you used prescribed to you by a doctor. -Amphetamines (methamphetamines, crystal meth, speed, uppers, ups)	1=Never used 2=Used, but not in past 12 months 3=Used, but not in past 30 days 4=Used in past 30 days	2012 2013 2014 2014-2015	In 2013, 2014 and 2014-2015, the questionnaire read: 3 = Used in past 12 months, but NOT in past 30 days
sub_her	SURVEY	How often, if ever, have you used any of the substances listed below? Do not include anything you used prescribed to you by a doctor. -Heroin	1=Never used 2=Used, but not in past 12 months 3=Used, but not in past 30 days 4=Used in past 30 days	2012 2013 2014 2014-2015	In 2013, 2014 and 2014-2015, the questionnaire read: 3 = Used in past 12 months, but NOT in past 30 days
sub_opi	SURVEY	How often, if ever, have you used any of the substances listed below? Do not include anything you used prescribed to you by a doctor. -Other opiate-type prescription drugs (codeine, morphine, Demerol, Percodan, Percocet, Vicodin, Darvon, Darvocet)	1=Never used 2=Used, but not in past 12 months 3=Used, but not in past 30 days 4=Used in past 30 days	2012 2013	In 2013, the questionnaire read: 3 = Used in past 12 months, but NOT in past 30 days
sub_lsd	SURVEY	How often, if ever, have you used any of the substances listed below? Do not include anything you used prescribed to you by a doctor. -LSD	1=Never used 2=Used, but not in past 12 months 3=Used, but not in past 30 days 4=Used in past 30 days	2012 2013 2014 2014-2015	In 2013, 2014 and 2014-2015, the questionnaire read: 3 = Used in past 12 months, but NOT in past 30 days
sub_hal	SURVEY	How often, if ever, have you used any of the substances listed below? Do not include anything you used prescribed to you by a doctor. -Other psychedelics or hallucinogens like mushrooms, mescaline or PCP	1=Never used 2=Used, but not in past 12 months 3=Used, but not in past 30 days 4=Used in past 30 days	2012 2013 2014	In 2013 and 2014, the questionnaire read: 3 = Used in past 12 months, but NOT in past 30 days
sub_ecs	SURVEY	How often, if ever, have you used any of the substances listed below? Do not include anything you used prescribed to you by a doctor. -Ecstasy (MDMA)	1=Never used 2=Used, but not in past 12 months 3=Used, but not in past 30 days 4=Used in past 30 days	2012 2013 2014 2014-2015	In 2013, 2014 and 2014-2015, the questionnaire read: 3 = Used in past 12 months, but NOT in past 30 days
sub_clu	SURVEY	How often, if ever, have you used any of the substances listed below? Do not include anything you used prescribed to you by a doctor. -Club drugs (Special K, Super K, Ketamine, Liquid G, GHB)	1=Never used 2=Used, but not in past 12 months 3=Used, but not in past 30 days 4=Used in past 30 days	2012 2013 2014 2014-2015	In 2013, 2014 and 2014-2015, the questionnaire read: 3 = Used in past 12 months, but NOT in past 30 days

sub_pain	SURVEY	How often, if ever, have you used any of the substances listed below? Do not include anything you used prescribed to you by a doctor. -Pain relievers/other opiate-type prescription drugs (codeine, morphine, Demerol, Percodan, Percocet, Vicodin, Oxycontin/oxycodon)	1=Never used 2=Used, but not in past 12 months 3=Used, but not in past 30 days 4=Used in past 30 days	2014 2014-2015	In 2014 and 2014-2015, the questionnaire read: 3 = Used in past 12 months, but NOT in past 30 days
sub_wat	SURVEY	How often, if ever, have you used any of the substances listed below? Do not include anything you used prescribed to you by a doctor. -Waterpipe smoking (hookah, arghile, shisha)	1=Never used 2=Used, but not in past 12 months 3=Used, but not in past 30 days 4=Used in past 30 days	2012 2013 2014 2014-2015	In 2013, 2014 and 2014-2015, the questionnaire read: 3 = Used in past 12 months, but NOT in past 30 days
sub_cig_2013	CALC	How often, if ever, have you used any of the substances listed below? Do not include anything you used prescribed to you by a doctor. -Cigarettes	0=Never 1=Any use	2013	
sub_mar_2013	CALC	How often, if ever, have you used any of the substances listed below? Do not include anything you used prescribed to you by a doctor. -Marijuana/cannabis (hashish, blunts)	0=Never 1=Any use	2013	
sub_coc_2013	CALC	How often, if ever, have you used any of the substances listed below? Do not include anything you used prescribed to you by a doctor. -Cocaine (crack, coke)	0=Never 1=Any use	2013	
sub_bar_2013	CALC	How often, if ever, have you used any of the substances listed below? Do not include anything you used prescribed to you by a doctor. -Barbiturates or sedatives (prescription-type sleeping pills like Seconal, Ambien, Nembutal, downs or Yellow Jackets)	0=Never 1=Any use	2013	
sub_tra_2013	CALC	How often, if ever, have you used any of the substances listed below? Do not include anything you used prescribed to you by a doctor. -Tranquilizers (prescription-type drugs like Valium, Librium, Xanax, Ativan, Klonopin)	0=Never 1=Any use	2013	
sub_amp_2013	CALC	How often, if ever, have you used any of the substances listed below? Do not include anything you used prescribed to you by a doctor.	0=Never 1=Any use	2013	

		-Amphetamines (Adderall, Ritalin, methamphetamines, crystal meth, speed, uppers, ups)			
sub_her_2013	CALC	How often, if ever, have you used any of the substances listed below? Do not include anything you used prescribed to you by a doctor. -Heroin	0=Never 1=Any use	2013	
sub_lsd_2013	CALC	How often, if ever, have you used any of the substances listed below? Do not include anything you used prescribed to you by a doctor. -LSD	0=Never 1=Any use	2013	
sub_hal_2013	CALC	How often, if ever, have you used any of the substances listed below? Do not include anything you used prescribed to you by a doctor. -Other psychedelics or hallucinogens like mushrooms, mescaline or PCP	0=Never 1=Any use	2013	
sub_ecs_2013	CALC	How often, if ever, have you used any of the substances listed below? Do not include anything you used prescribed to you by a doctor. -Ecstasy (MDMA)	0=Never 1=Any use	2013	
sub_clu_2013	CALC	How often, if ever, have you used any of the substances listed below? Do not include anything you used prescribed to you by a doctor. -Club drugs (Special K, Super K, Ketamine, Liquid G, GHB)	0=Never 1=Any use	2013	
sub_wat_2013	CALC	How often, if ever, have you used any of the substances listed below? Do not include anything you used prescribed to you by a doctor. -Waterpipe smoking (hookah, argihle, shisha)	0=Never 1=Any use	2013	
16. Other behavior/lifestyle					
sexualint	SURVEY	How many people have you had sexual intercourse with in the past 30 days?	1=0 2=1 3=2 4=3 or more	2012 2013 2014 2014-2015	In 2014-2015, the questionnaire response read: 1=0 2=1 3=2-3 4= 4-5 5=6-10 6= 11 or more
birthctrl	SURVEY	Did you or your partner use some form of birth control or protection (e.g. condoms, birth control pills) every	1=Yes 2=No 3=Don't know	2013	Skip logic: If "sexualint" = >1, the question is asked.

		single time you had sex in the past 30 days?			
birthctrl_type	SURVEY	What type of birth control method did you or your partner use during your last sexual intercourse experience in the past 30 days?	1=Male condom 2=Withdrawal (i.e. “pulling out”) 3=Contraceptive pills 4=Contraceptive patch 5=Contraceptive ring (e.g. Nuvaring) 6=Contraceptive injectable (e.g. Depo-Provera shot) 7=Intrauterine device (e.g. IUD) 8=Contraceptive implant (e.g. implantation / nexplanon) 9=Emergency contraception (i.e. “morning after pill”) 10=Other contraceptive method 11=No contraceptive method was used 12=Don’t know	2013	(Select all that apply) Skip logic: If “sexualint” = >1, the question is asked.
pregnant	SURVEY	Have you or your romantic partner (current or past) ever become pregnant when you and your partner were not trying to get pregnant?	0=No 1=Yes	2013	
repro_vis	SURVEY	In the past 12 months, have you visited a reproductive health provider for any reason (e.g. birth control, sexually transmitted infection testing, pregnancy testing, HIV/AIDS counseling/testing, gynecological or genital exam/check-up)?	1=Yes 2=No 3=Don’t know	2013	
repro_dis	SURVEY	During a reproductive health visit in the past 12 months, have you discussed your mental or emotional health status with a reproductive health care provider?	0=No 1=Yes	2013	
time_job	SURVEY	During this semester, so far, about how many hours per week have you worked at a paid job?	1=None 2=1-5 hours 3=6-10 hours 4=11-15 hours 5=16-20 hours 6=21-30 hours 7=More than 30 hours	2009 2010	
exercise	SURVEY	In the past 30 days, about how many hours per week on average did you spend exercising?	1=Less than 1 hour 2=1-2 hours 3=3-4 hours 4=5 or more hours	All years	Include any exercise of moderate or higher intensity, where “moderate intensity”

					would be roughly equivalent to brisk walking or bicycling.
sleep_wk1	SURVEY	During this school year, at approximately what time have you typically gone to sleep on weeknights?	Range: 0-24	2011 2012 2013 2014-2015	In 2013 and 2014-2015, the questionnaire read: (Please record your response using the format 00:00 AM or 00:00 PM)
sleep_wk2	SURVEY	During this school year, at approximately what time have you typically woken up on weeknights?	Range: 0-24	2011 2012 2013 2014-2015	In 2013 and 2014-2015, the questionnaire read: (Please record your response using the format 00:00 AM or 00:00 PM)
sleep_wd1	SURVEY	During this school year, at approximately what time have you typically gone to sleep on weekend nights?	Range: 0-24	2011 2012 2013 2014 2014-2015	In 2013, 2014 and 2014-2015, the questionnaire read: (Please record your response using the format 00:00 AM or 00:00 PM)
sleep_wd2	SURVEY	During this school year, at approximately what time have you typically woken up on weekend nights?	Range: 0-24	2011 2012 2013 2014 2014-2015	In 2013, 2014 and 2014-2015, the questionnaire read: (Please record your response using the format 00:00 AM or 00:00 PM)
sleep_np1	SURVEY	During this school year, on how many days have you taken naps during a typical week?	0=I don't take naps 1=1 2=2 3=3 4=4 5=5 6= 6 7=7	2011 2012 2013 2014 2014-2015	Skip logic: If "sleep_np1" >= 1, the question is asked.
sleep_np2	SURVEY	How long is your typical nap?	1=Less than 1 hour 2=Between 1 and 2 hours 3=Between 2 and 3 hours 4=More than 3 hours	2011 2012 2013 2014 2014-2015	Skip logic: If "sleep_np1" >= 1, the question is asked.
discount	SURVEY	This is a hypothetical question about personal preferences—there is no right or wrong answer. Imagine you have won some money at a casino and have a choice between two prizes: Prize A: Gain \$500 right now or Prize B: Gain \$_____ one year from now What amount of money (in dollars) would have to appear in the blank for	Range: 0-999,999	2011	

		Prize B to make it just as attractive as Prize A?			
procrast1	SURVEY	How well does each statement describe you? I often find myself performing tasks that I had intended to do days before.	1=Extremely unlike me 2=Moderately unlike me 3=Neutral 4=Moderately like me 5=Extremely like me	2011	
procrast2	SURVEY	How well does each statement describe you? I generally delay before starting on work I have to do.	1=Extremely unlike me 2=Moderately unlike me 3=Neutral 4=Moderately like me 5=Extremely like me	2011	
procrast3	SURVEY	How well does each statement describe you? I am continually saying "I'll do it tomorrow."	1=Extremely unlike me 2=Moderately unlike me 3=Neutral 4=Moderately like me 5=Extremely like me	2011	
procrast	CALC	Composite measure of procrast1-3	Range: 0-4	2011	
gamble	CALC	In the past 12 months, on approximately how many days did you make any sort of bet? (By "bet" we mean betting on sports, playing cards for money, playing gambling games online, buying lottery tickets, playing pool for money, playing slot machines, betting on horse races, or any other kind of betting or gambling)	0=None 1=Any	All years	
gamble_days	SURVEY	In the past 12 months, on approximately how many days did you make any sort of bet? (By "bet" we mean betting on sports, playing cards for money, playing gambling games online, buying lottery tickets, playing pool for money, playing slot machines, betting on horse races, or any other kind of betting or gambling)	Range: 0-365	All years	In 2013, 2014 and 2014-2015, the questionnaire read: 1= None 2= Record number of days: [NUMERIC RESPONSE 0-365] days
17. Witnessing/ experiencing negative things					
inter_y	SURVEY	In the past year, I have intervened in the following situations:	1 = Someone was drinking too much. 2= Someone was at risk of being sexually assaulted 3= Someone was using hurtful language (e.g., bullying, sexist, racist, or homophobic comments). 4= Someone was experiencing	2012 2013 2014 2014-2015	(Select all that apply)

			significant emotional distress or thoughts of suicide. 5= Other 6= None of the above		
inter_y_1	CALC	In the past year, I have intervened in the following situations:	0=Not someone was drinking too much 1=Someone was drinking too much	2012 2013 2014 2014-2015	
inter_y_2	CALC	In the past year, I have intervened in the following situations:	0=Not someone was at risk of being sexually assaulted 1=Someone was at risk of being sexually assaulted	2012 2013 2014 2014-2015	
inter_y_3	CALC	In the past year, I have intervened in the following situations:	0=Not someone was using hurtful language (e.g., bullying, sexist, racist, or homophobic comments) 1=Someone was using hurtful language (e.g., bullying, sexist, racist, or homophobic comments)	2012 2013 2014 2014-2015	
inter_y_4	CALC	In the past year, I have intervened in the following situations:	0=Not someone was experiencing significant emotional distress or thoughts of suicide 1=Someone was experiencing significant emotional distress or thoughts of suicide	2012 2013 2014 2014-2015	
inter_y_5	CALC	In the past year, I have intervened in the following situations:	0=Not other 1=Other	2012 2013 2014 2014-2015	
inter_y_6	CALC	In the past year, I have intervened in the following situations:	0=Not none of the above 1=None of the above	2012 2013 2014 2014-2015	
inter_n	SURVEY	In the past year, I witnessed the following risky or difficult situations but did not intervene:	1 = Someone was drinking too much. 2= Someone was at risk of being sexually assaulted. 3= Someone was using hurtful language (e.g., bullying, sexist, racist, or homophobic comments). 4= Someone was experiencing	2012 2013 2014 2014-2015	(Select all that apply)

			significant emotional distress or thoughts of suicide. 5= Other 6= None of the above		
inter_n_1	CALC	In the past year, I witnessed the following risky or difficult situations but did not intervene:	0=Not someone was drinking too much 1=Someone was drinking too much	2012 2013 2014 2014-2015	
inter_n_2	CALC	In the past year, I witnessed the following risky or difficult situations but did not intervene:	0=Not someone was at risk of being sexually assaulted 1=Someone was at risk of being sexually assaulted	2012 2013 2014 2014-2015	
inter_n_3	CALC	In the past year, I witnessed the following risky or difficult situations but did not intervene:	0=Not someone was using hurtful language (e.g., bullying, sexist, racist, or homophobic comments) 1=Someone was using hurtful language (e.g., bullying, sexist, racist, or homophobic comments)	2012 2013 2014 2014-2015	
inter_n_4	CALC	In the past year, I witnessed the following risky or difficult situations but did not intervene:	0=Not someone was experiencing significant emotional distress or thoughts of suicide 1=Someone was experiencing significant emotional distress or thoughts of suicide	2012 2013 2014 2014-2015	
inter_n_5	CALC	In the past year, I witnessed the following risky or difficult situations but did not intervene:	0=Not other 1=Other	2012 2013 2014 2014-2015	
inter_n_6	CALC	In the past year, I witnessed the following risky or difficult situations but did not intervene:	0=Not none of the above 1=None of the above	2012 2013 2014 2014-2015	
inter_n_why	SURVEY	In cases where I decided not to intervene, this was because:	1 = I was afraid of embarrassing myself. 2 = I assumed someone else would do something. 3= I didn't know what to do. 4= I didn't feel confident. 5= I felt it was none of my business. 6= I was afraid my friends wouldn't support me.	2012 2013 2014 2014-2015	(Select all that apply)

			7= I felt it was unsafe. 8= I was afraid I'd get in trouble. 9= Other		
inter_n_r1	CALC	In cases where I decided not to intervene, this was because:	0=Not I was afraid of embarrassing myself 1= I was afraid of embarrassing myself	2012 2013 2014 2014-2015	
inter_n_r2	CALC	In cases where I decided not to intervene, this was because:	0=Not I assumed someone else would do something 1=I assumed someone else would do something	2012 2013 2014 2014-2015	
inter_n_r3	CALC	In cases where I decided not to intervene, this was because:	0=Not I didn't know what to do 1=I didn't know what to do	2012 2013 2014 2014-2015	
inter_n_r4	CALC	In cases where I decided not to intervene, this was because:	0=Not I didn't feel confident 1=I didn't feel confident	2012 2013 2014 2014-2015	
inter_n_r5	CALC	In cases where I decided not to intervene, this was because:	0=Not I felt it was none of my business 1=I felt it was none of my business	2012 2013 2014 2014-2015	
inter_n_r6	CALC	In cases where I decided not to intervene, this was because:	0=Not I was afraid my friends wouldn't support me 1=I was afraid my friends wouldn't support me	2012 2013 2014 2014-2015	
inter_n_r7	CALC	In cases where I decided not to intervene, this was because:	0=Not I felt it was unsafe 1=I felt it was unsafe	2012 2013 2014 2014-2015	
inter_n_r8	CALC	In cases where I decided not to intervene, this was because:	0=Not other 1=Other	2012 2013 2014 2014-2015	
inter_n_r9	CALC	In cases where I decided not to intervene, this was because:	0=Not I was afraid I'd get in trouble 1=I was afraid I'd get in trouble	2012 2013 2014 2014-2015	
discrim	SURVEY	In the past year, how many times have you been treated unfairly because of your race, ethnicity, or cultural background?	1=Never 2=Once in a while 3=Sometimes 4=A lot 5=Most of the time 6=Almost all of the time	All Years	In 2014-2015, the questionnaire read: In the past 12 months, how many times have you been treated unfairly because of your race, ethnicity, or cultural background?
voilence_vic	SURVEY	During the past 12 months... did anyone strike or physically injure you?	0= No 1= Yes	2014-2015	

assault_any	SURVEY	During the past 12 months... did anyone sexually assault you?	0= No 1= Yes	2014-2015	
voilence_perp	SURVEY	During the past 12 months.....did you strike or physically injure anyone?	0= No 1= Yes	2014-2015	
18. Social media and online behavior					
online	SURVEY	Over the last 12 months, have you posted a health-related question online or shared your own personal health experience online in any way?	1 = Yes 2= No 3= Don't know 4= Refuse to answer	2014	
online_what	SURVEY	And what was it that you posted or shared online? Was it a specific QUESTION about your health, a COMMENT or STORY about your personal health experience, or BOTH a question and a comment?	1= Specific health question 2= Comments/stories about personal health experiences 3= Both 4= Neither/something else 5= Don't know 6= Refuse to answer	2014	Skip logic: If online= 1, the question is asked.
online_who	SURVEY	And the LAST time you posted or shared health material online, did you post it somewhere specifically or get feedback from a health professional, or did you post it somewhere it would be read by a more general audience of friends and other Internet users?	1= Health professional 2= More general audience 3= Both 4= Neither/something else 5= Don't know 6= Refuse to answer	2014	Skip logic: If online= 1, the question is asked.
sup_social	SURVEY	If I felt sad, stressed or anxious, I would be open to looking for help/support... ...on social media websites (e.g., Facebook, Twitter).	1=Strongly agree 2=Agree 3=Neither agree nor disagree 4=Disagree 5=Strongly disagree	2014	
sup_forum	SURVEY	If I felt sad, stressed or anxious, I would be open to looking for help/support... ...on an anonymous student led support forum where students respond to each other's problems/issues using videos, photos or text-based messages.	1=Strongly agree 2=Agree 3=Neither agree nor disagree 4=Disagree 5=Strongly disagree	2014	
sup_video	SURVEY	If I felt sad, stressed or anxious, I would be open to looking for help/support... ...from online videos designed for a college-age audience.	1=Strongly agree 2=Agree 3=Neither agree nor disagree 4=Disagree 5=Strongly disagree	2014	
sup_apps	SURVEY	If I felt sad, stressed or anxious, I would be open to looking for help/support... ...from mental health applications ("apps") designed for college-age people on my smart phone.	1=Strongly agree 2=Agree 3=Neither agree nor disagree 4=Disagree 5=Strongly disagree	2014	

sup_online	SURVEY	If I felt sad, stressed or anxious, I would be open to looking for help/support... ...from a mental health professional online (e.g., psychologist, psychiatrist, social worker).	1=Strongly agree 2=Agree 3=Neither agree nor disagree 4=Disagree 5=Strongly disagree	2014	
sup_social_fr	SURVEY	In the past 12 months, how often have you looked for help/support from the following sources for mental or emotional health problems such as feeling sad, stressed, or anxious? - Social media websites (e.g., Facebook, Twitter).	1= Never 2= Once or twice 3= More than twice	2014	
sup_forum_fr	SURVEY	In the past 12 months, how often have you looked for help/support from the following sources for mental or emotional health problems such as feeling sad, stressed, or anxious? - Anonymous student led support forum where students respond to each other's problems/issues using videos, photos or text-based messages.	1= Never 2= Once or twice 3= More than twice	2014	
sup_videos_fr	SURVEY	In the past 12 months, how often have you looked for help/support from the following sources for mental or emotional health problems such as feeling sad, stressed, or anxious? - Online videos.	1= Never 2= Once or twice 3= More than twice	2014	
sup_apps_fr	SURVEY	In the past 12 months, how often have you looked for help/support from the following sources for mental or emotional health problems such as feeling sad, stressed, or anxious? - Mental health applications ("apps") designed for college-age people on my smart phone.	1= Never 2= Once or twice 3= More than twice	2014	
sup_online_fr	SURVEY	In the past 12 months, how often have you looked for help/support from the following sources for mental or emotional health problems such as feeling sad, stressed, or anxious? - Mental health professional online (e.g., psychologist, psychiatrist, social worker).	1= Never 2= Once or twice 3= More than twice	2014	

Additional Notes:

In the data set, you will see several additional variables: responseid (the unique HMS response ID assigned to each student), nrweight (non-response weight), school2 (school name), and survey (the survey year).

A select number of potentially identifying survey items are not listed in this codebook (or provided in the data set); these include the country of citizenship (for non-US citizens) and specific sports (for student-athletes).